




PRODUCTS AND SERVICES FOR TREE CARE PROFESSIONALS

INTRODUCING 592 XP

**Best in class
cutting capacity.**





Make your workday better

Husqvarna products and solutions are developed for you. In everything we do, we strive to improve your life as well as the life of those around you. From battery-powered equipment to fleet management solutions, we continuously help create the best conditions for a healthy business.

From state-of-the-art tools, protective clothing, groundbreaking technical innovations, to aftermarket services, we have one goal: to make your workday better, to make you better.

WHY PROFESSIONALS CHOOSE HUSQVARNA	04	✓
PRODUCT NEWS 2022	14	☆
CHAINSAWS	16	🪚
POLE PRUNERS	30	🪚
CLEARING SAWS	48	🪚
BATTERIES AND CHARGERS	58	🔋
FUEL AND LUBRICANTS	66	📄
PERSONAL PROTECTIVE EQUIPMENT	68	👕
XPLORER COLLECTION	78	👕
HUSQVARNA SUPPORT	80	🔧

READ MORE ON PAGES 4-13

Five reasons why professionals choose Husqvarna

There are many reasons why professionals choose Husqvarna products and services, packed with benefits that will make your work easier and better. Here we present five ways to increase productivity and performance, while at the same time, create a better work environment.



READ MORE ON PAGE 8

Battery power

Battery chainsaws for climbing arborists that start at the push of a button. They deliver all the power needed and do so with low noise, no fumes and decreased vibrations, making life in the treetops better.



Husqvarna conducts continuous product development and reserves the right to change designs, specifications, technical data and equipment levels without prior notification. As an operator you are responsible for the proper use of our products and so you should read and understand all instructions and warnings in the operator manuals before using the products. Consult your dealer about the equipment and performance of our products in your country, as this can vary per country. Regarding protective clothing and safety equipment, design and use of reflective clothing, carefully check the legal requirements in your country. Reasonable steps are taken to ensure that technical data is up-to-date at the time of publication. We cannot accept responsibility for printing errors.



1. PROFESSIONAL 500 SERIES

Dedicated to the true professionals

Husqvarna's 500 series of products are designed to perform. To deliver impressive results and to withstand tough usage day in, day out. No matter if you choose a battery powered or gas powered machine, every detail is developed with professional use in mind, to maximize performance and productivity and make easy work of the toughest of jobs. Year in, year out.



COMPREHENSIVE RANGE

All you need to get it done

No matter your task, we can supply you with all that you need to do your job efficiently. In our product range you'll find everything from chainsaws to pole saws and PPE. And naturally, we offer service and support to keep you running.

HEAVY-DUTY DESIGN

Durable and tough. Just like you.

Professional work can be demanding and challenging. Husqvarna's 500 series excels when it comes to durability and longevity. Every single part of our machines have been carefully chosen, developed and tested to withstand heavy-duty usage, to maximize uptime, while minimizing unplanned stops and repetitious maintenance procedures.

FEATURES AND BENEFITS

Increase your productivity

Your professional equipment needs to be durable and reliable. But it also has to get the job done as efficiently as possible. Husqvarna machines are always developed with usage and productivity in mind. This means that you can rest assured they deliver both high power and fast speeds, while never compromising on safety, ergonomics or care for your surroundings. We manage this by constantly exploring new technologies and innovations and by adding smart features and functions that increase efficiency and productivity.

USER-CENTRIC FOCUS

Taking care of you

Vibration damping with LowVib®, easy starts with Start Mode, comfortable handles or specially designed, ergonomic harnesses. Thanks to Husqvarna's excellent, purposeful features and functions paired with well-balanced and lightweight machines, you will experience better ergonomics, less vibrations and an easier work day. This all translates into a better work day – and just as much into your overall well-being.

2. HUSQVARNA ENGINE AND MOTOR TECHNOLOGY

The power you need to succeed


No matter if you choose gas or battery power, you can always rely on Husqvarna technology to deliver the required results. Characterized by our long and proud history of engineering, our 2-stroke engines and electric motors are all developed to maximize performance and durability. All to increase your productivity.

Husqvarna electrical E-TORQ motors

The unique Husqvarna E-TORQ motors are developed and produced by Husqvarna and are perfectly adapted for each application. The brushless design minimizes the number of moving parts and the encapsulated motors are built to withstand tough, prolonged professional use, are completely maintenance-free and designed to last the entire product-life.

BRUSHLESS MOTORS – HIGH PERFORMANCE

The brushless motors deliver high constant torque from low rpms enough for the most demanding tasks. All to ensure uptime and productivity.



DESIGNED BY HUSQVARNA – MADE FOR A PERFECT FIT

Electric control units and batteries are all designed by Husqvarna. This means we can optimize the complete system, resulting in machines with low weight, slim design and excellent balance.

HIGH ENERGY – HIGH EFFICIENCY

To ensure a long runtime, efficient components with minimal energy losses are essential. All our motors, control units and batteries are developed with high efficiency in mind. This means that as much as possible of the energy within the battery is being utilized for real work.

Husqvarna 2-stroke engines


We've been refining the 2-stroke gas engine ever since we started making motorcycles in 1903. This continuous strive for perfection has resulted in today's powerful, reliable and efficient engines. But we didn't stop there. What really sets modern Husqvarna engines apart are their innovative features, ensuring they deliver top performance in any conditions, while using every drop of fuel to the max.

X-TORQ® – BOOSTING ENERGY EFFICIENCY

X-Torq® engines deliver great combustion efficiency, with no compromise on power or torque. Every cycle, the cylinder is flushed with fresh air before the air/fuel mixture enters the cylinder to prevent unburnt fuel from mixing with the exhausts. This translates into a daily user benefit, lowering emissions and saving on fuel, compared to previous models without X-Torq® engine.

QUICK, RELIABLE AND POWERFUL ACCELERATION

Husqvarna's professional 2-stroke engines are optimized to deliver maximum acceleration and high torque. When combined with a quick engine start, this acceleration allows you to get the job done faster, never compromising on output or reliability.



AUTOTUNE™

Full engine performance

With AutoTune™, you can always expect reliable starts and maximum performance from your Husqvarna engine. It's an automatic feature that constantly fine-tunes the air-fuel mixture, compensating for factors such as humidity, altitude, temperature, fuel quality and, air filter clogging. Your engine runs perfectly – and you never have to tune the carburetor manually again.

3. BATTERY SERIES

Nothing is new, except everything

It may look exactly the same. And yes, it will perform on the impressive levels that you're used to. But still, it's new. It's changed. It's been built to make new levels of efficiency possible. Because above all – it's better. For you, your hands and your body. And for the environment and the future.

For any professional, our battery-powered equipment is a sheer pleasure to work with. From the low vibration levels to the perfect balance and the protected, encapsulated motor, the battery products will help both you and the environment to be better.



READ MORE

Explore our entire range of battery products at husqvarna.com/us/battery-series-accessories

PERFORMANCE

Ready for professional use

Our professional range of battery-powered machines is now stronger than ever, offering impressive power-to-weight ratio, high capacity and performance on par with their gas counterparts. The power output in each machine delivers full torque from zero rpm and has been adapted to the intended application, while the heavy-duty design and active cooling allow you to work uninterrupted in any weather. Plus, the machines come with additional smart features, making work even more efficient and productive.

USER INTERFACE

Taking battery convenience to a new level

Husqvarna battery-powered machines define convenience. From start/stop at the push of a button, to a user-friendly keypad and an intuitive user interface that clearly displays battery status and speed settings, we designed these tools to maximize productivity. For increased safety, an LED light indicates when the machine is on, and a timer automatically switches it off after a period of inactivity.

WATER-PROOFED DESIGN

Keep working in any weather

Come rain, wind or sunshine. Thanks to a well-engineered and rigorously tested design, our battery machines fulfill IPX4 – a strict weather protection classification standard for electronic products. This result is long-lasting and reliable tools – particularly good for working in wet conditions.

FLEXIBILITY

Just pick a battery and connect

Husqvarna's battery system is based on a common platform for maximum flexibility. This means you can pick and choose almost freely among our batteries, chargers and accessories, depending on your needs. Whether you opt for carrying your batteries on your back, in your belt or in the machine itself, it all fits together beautifully. Just as easy as it should be.

DEVELOPED INHOUSE


Perfect fit, perfect performance

Husqvarna's lithium-ion batteries are all developed and tested by Husqvarna to ensure constant high performance, durability, long lifetime and short charging time. And thanks to Husqvarna's unique design where all vital parts are encapsulated, the batteries are also rain- and dust resistant. This means you're able to keep working – no matter the conditions.

4. HUSQVARNA CUTTING SYSTEMS

A perfectly paired system for the best cutting experience

Husqvarna's own X-Cut® chain and guide bars have been meticulously developed and designed by Husqvarna. By locating the manufacturing alongside our chainsaw factory in Huskvarna, Sweden, we have been able to optimize each detail for its overall purpose: to maximize your output.



It's all about the output

X-Cut® is the first ever chain to be developed, designed and manufactured by Husqvarna. We created an optimal cutting angle that gives you long-lasting performance and sharpness that lasts, minimizing the time spent on maintenance. It also comes to you pre-stretched further reducing slack and unnecessary wear.



Every detail improved

Developed together with our X-Cut® chains, we have guide bars for every professional application, designed to get the best possible performance out of your Husqvarna chainsaw, and to give you maximum results with minimum downtime.



Feed your Husqvarna a healthy diet

If you want your equipment to perform at its best, day in and day out, you want to be sure to use the best lubricants. When you choose Husqvarna, you're getting the very same exceptional quality we used when we developed and tested your chainsaw.

5. THE XP DIFFERENCE

We are stronger than ever

What makes a chainsaw truly legendary? We believe a professional chainsaw is defined by its capacity to work every bit as hard as you - cutting all day, every day, until the job is finished. This is how we measure professional performance.

X-TORQ® ENGINE TECHNOLOGY Provides lower fuel consumption and reduced exhaust emissions levels in accordance with the world's most stringent environmental regulations.

AUTOTUNE™ Delivers optimal engine performance while compensating for different fuels, altitude, humidity, temperature and air filter conditions.

LOWVIB® Anti-vibration dampeners absorb motion, sparing the users arms and hands.

MAGNESIUM CRANKCASE Sturdily built to withstand high RPMs and tough professional use, ensuring a long service life.

FORGED, THREE-PIECE CRANKSHAFT Provides maximum durability for the toughest use.

AIR INJECTION™ Centrifugal air cleaning system removes larger dust and debris particles before reaching the air filter.

LOW, SLENDER SAW BODY Makes the chainsaw easy to handle in any situation.

FELLING SIGHT Is molded into the saw body providing critical directional guidance.

TRANSPARENT FUEL INDICATOR Makes it easy to visibly check the fuel level.

ADJUSTABLE OIL PUMP Makes it easy to set the chain lubrication according to your needs.

SNAP-LOCK Cylinder cover is toolless, providing large, open access, saving you time when servicing and cleaning.

EASY STARTING With combined start/stop switch and fuel pump.

RETAINED BAR NUTS And starter screws to prevent loss.

FLIP UP TANK CAPS Are easy to open and secure firmly, even when wearing gloves.

SIDE MOUNTED CHAIN TENSIONER Makes chain adjustment quick and easy.

LOW GYROSCOPIC FORCES are a result of unique cylinder design and an optimized center of gravity.

X-CUT® CHAIN Cuts up to 15% better because it's designed to optimize the performance of your Husqvarna chainsaw.

1-YEAR Professional gas powered - **2-YEAR** Battery powered chainsaw warranties - our commitment to your success.

7-DAY Money back guarantee, ensures your satisfaction.

The **XP** Difference


Compared to the Husqvarna Professional series, XP® chainsaws set the standard for peak performance and exist in a class all their own.

MORE HORSEPOWER AND A BETTER POWER-TO-WEIGHT RATIO is delivered by way of our unique crankshaft design. It increases the amount of compression in the combustion chamber, which increases the force and power generated.

LARGER TRANSFER PORTS carry more fuel and air, creating more acceleration and torque when you need it.

TUNED IGNITION COIL delivers higher maximum RPMs resulting in a higher chain speed.

POWER BAND, that is optimized for skilled users, delivers more torque within a specific RPM range. When operating the saw within this range, you'll experience far superior power and performance.



*This listing of features is intended to provide a general overview, not all features are available on all models.

PRODUCT NEWS 2022


More powerful than ever

More powerful. More efficient. And more reliable. The all-new 90cc range of Husqvarna chainsaws will bring completely new levels of productivity to your work day. Designed to improve you and your work. For a better cutting experience. The new Husqvarna 592 XP®, 592 XP® G and Husqvarna 585 chainsaws are developed to meet the toughest of demands, in the most user-friendly way possible, for demanding tree care professionals. They are designed to meet heavy-duty challenges with both power output, user-centric design and excellent maneuverability. And they are built to endure and to be truly reliable. In short, they are made to provide you with the very best workday. **Page 22**



Equipped for the heaviest of duties

The new 90cc saws are equipped with our new X-TOUGH™ LIGHT bars and X-TOUGH™ bars. The X-TOUGH™ LIGHT bar is a robust bar with reduced weight that greatly improves maneuverability. The X-TOUGH™ bar is made from solid steel for added durability and stiffness, providing long, reliable use and straight cuts. **Page 40**



Built for you

The new 592 XP features a new starting technology, with only one procedure. Thanks to AutoTune 3.0 the engine settings are always optimized for all conditions. Meanwhile, the 585 is characterized by a mix of traditional technology with an easily adjusted needle carburetor and modern performance.



Gear designed to handle your daily challenges

You deserve protection, comfort, and safety, whether you're into forestry or tree care. Your personal protective equipment should be designed for exactly the type of job you do. That's the idea behind our Technical Xtreme Arbor chainsaw pants and everything in the Husqvarna range. **Page 68**



EXPLORE THE 90'S

Find out more about our new chainsaws at husqvarna.com/us/discover/90cc-chainsaws



Make the cutting experience better

Chainsaws perfectly adapted to the task at hand. For precision cuts high up in the treetops, or for the toughest of heavy-duty felling tasks. Chainsaws paired with razor-sharp X-Cut® chains, perfectly adapted to the saw, and a robust but lightweight bar that delivers impressive handling and maneuverability. Whatever you choose, you can rest assured that it's been designed for you, for an improved cutting experience.



EXPLORE ONLINE

Find our entire range of chainsaws and accessories by visiting [husqvarna.com/us/chainsaws/professional-chainsaws](https://www.husqvarna.com/us/chainsaws/professional-chainsaws)

X-TORQ® ENGINES

**Better fuel efficiency.
Lower exhaust emissions.**

X-Torq® engines deliver great combustion efficiency, with no compromise on power or torque. Every cycle, the cylinder is flushed with fresh air before the air-fuel mixture enters the cylinder, to prevent unburnt fuel from mixing with the exhausts. The result? A significant reduction of exhaust emissions as well as improved fuel efficiency, compared to similar models without X-Torq®.

USER-CENTRIC DESIGN

Designed for humans

High power is not necessarily synonymous with heavy, cumbersome machines. When we design our chainsaws, we always set out to make your work easier. Husqvarna chainsaws all come with smart design features that provide optimized maneuverability, making them easy to twist and turn.



BATTERY CHAINSAWS

Clean and quiet, yet powerful

Less vibrations and less noise, with no direct emissions - but still all the power you need to get the job done. On top of that, the convenience of easy starts and stops, at the press of a button. Our powerful battery chainsaws will help you achieve a better, more productive work day.

SMART FEATURES

It's all in the details

Husqvarna chainsaws come loaded with a host of smart features that make them more ergonomic and easy to start. Their durable design, along with their safety features are second-to-none for keeping you and the machine in good working condition.

HUSQVARNA AIR INJECTION™

Keeping the dust out. And you going.

Husqvarna Air Injection™ is a valuable feature that efficiently purifies the air before it reaches the engine. By centrifuging the incoming air, it removes saw dust and other particles to keep the filter unclogged, allowing the engine to keep going for much longer without the need to clean the filter. It also saves the engine from unnecessary wear, for a considerably longer product life.

AUTOTUNE™

Full engine performance, whatever the conditions

With AutoTune™, you can always expect reliable and maximum performance from your chainsaw. It's an automatic feature that constantly fine-tunes the air-fuel mixture, compensating for factors such as humidity, altitude, temperature, fuel quality and, not least, air filter clogging. Your engine runs perfectly – and you never have to tune the carburetor manually again.



X-CUT™ CHAINS AND X-FORCE™ BARS

Add a whole new level of cutting performance

The new line of X-CUT® chains and X-FORCE™ bars have been designed specifically for Husqvarna chainsaws. Every detail has been optimized to perfection, to provide excellent sharpness, extreme durability and low weight. This translates into impressive cutting performance, maximized results with a minimum of downtime. [Read more on page 40.](#)

PERSONAL PROTECTIVE EQUIPMENT

Protect yourself and work more safely

Our extensive range of protective equipment offers the latest innovations in design and material. All our clothing will provide you with the level of protection and comfort you need to get the job done, not only safely, but also efficiently. [Read more on page 68.](#)



EXTENSIVE TESTING

We've tried hard to break it, so you won't

All our chainsaws undergo extensive testing, both in laboratories and out in the field. We test run the machines for several hundred hours in water brake test rigs where they are loaded at different speeds to simulate common work situations. We do this in order to detect any temperature or durability issues. To detect any vibration problems, we also run the chainsaws at full throttle in laboratory test rigs for several hundred hours.



LOWVIB®

Stay alert and save your fingers from vibration

Thanks to effective vibration dampening, you can work comfortably and efficiently for a longer period of time. By separating the tank and handles from the engine and cutting equipment with carefully tuned anti-vibration elements, we have managed a considerable reduction of the vibrations in the handles. All this helps spare your arms and hands, allowing you to stay safe in the long run.



LIMBING PERFORMANCE

Move along the trunk with ease

Our small and mid-sized professional chainsaws are exceptional choices for limbing. The shorter guide bar paired with the high chain speed, impressive cutting performance and excellent maneuverability allows you to swiftly and comfortably move the chainsaw around the trunk with minimal strain on your body.



HUSQVARNA AIR INJECTION™

Keeping dust out. And you going.

Husqvarna Air Injection™ technology uses the centrifugal force of the machine fan to provide better air purification. Thanks to this, the amount of saw dust entering the air filter is reduced and the life span of the engine extends considerably. This allows for longer operational time.



SIDE-MOUNTED CHAIN TENSIONER

Quick and easy adjustment

A tightened chain is essential for your chainsaw to perform safely and efficiently. That's why you need to check the chain tension regularly as you use the saw. Husqvarna chainsaws come with a side-mounted chain tensioner that makes adjustment quick and easy.

GAS CHAINSAW
3120 XP®



118.8 cm³
 8.31hp
 3/8" / .404"
 24-42 in
 22.9 lbs

Husqvarna's largest chainsaw is one of the most powerful in the world. The primary applications for the 3120 XP® are extreme logging, portable saw mills and stump work. This saw is designed to pull the chain on our longest bars. Like all Husqvarna chainsaws, the 3120 XP® has a superior power-to-weight ratio. Thanks to Effortless Starting®, LowVib® and other premium features, this heavy-duty chainsaw is surprisingly easy to start and operate.

- Adjustable oil pump
- Quick-release air filter
- Magnesium crankcase
- LowVib®

GAS CHAINSAW
395 XP®



94 cm³
 6.6 hp
 3/8"
 20-36 in
 17.4 lbs

The Husqvarna 395 XP® is built for professional loggers and foresters. Excellent balance and a rugged design make this large saw easy to operate – even with longer guide bars. The aggressive clutch can handle the chainsaw's substantial power, while a wider clutch cover guarantees effective wood chip dispersal. Take your work to the highest level of performance with this trusted machine.

- Husqvarna Air Injection™
- Adjustable oil pump
- Quick-release air filter
- Magnesium crankcase

GAS CHAINSAW NEW
592 XP®



92.7 cm³
 7.6 hp
 3/8"
 18-36 in
 16.3 lbs

With best-in-class cutting capacity and power-to-weight, fantastic maneuverability, new starting technology, and reliable operation and uptime (even in the roughest conditions) the 592 XP® is your perfect partner in felling, limbing and bucking the largest of trees. You can fit up to 36" (90 cm) bars on it, never compromising on balance and control.

- Connectivity ready
- AutoTune™ 3.0 with simplified start technology
- LowVib®
- Husqvarna Air Injection™
- X-Torq® Engine
- Heated handles and carburetor (optional)

GAS CHAINSAW
390 XP®



88 cm³
 6.5 hp
 3/8"
 16-32 in
 16.1 lbs

The Husqvarna 390 XP® features professional performance and excellent vibration dampening, making work easier and more efficient than ever. The LowVib® system and smart ergonomics make this large, powerful saw easy to handle – even with longer guide bars. Additionally, Smart Start® technology guarantees faster start-ups, while the rubber-mounted carburetor boosts durability. Prepare to get the job done like never before.

- Husqvarna Air Injection™
- LowVib®
- Adjustable oil pump
- Quick-release air filter
- Side-mounted chain tensioner

GAS CHAINSAW
372 XP®



70.7 cm³
 5.5 hp
 3/8"
 16-32 in
 14.6 lbs

Built for demanding work with enough power for longer bar options, the Husqvarna 372 XP® is ready for the toughest applications. The crankcase and crankshaft are extra durable, while the carburetor's vibration dampening can handle high speeds and heavy workloads. Featuring a powerful X-Torq® engine, this chainsaw is the ideal combination of high power and low weight.

- LowVib®
- Smart Start™
- Husqvarna Air Injection™
- X-Torq® Engine

Gas CHAINSAW
572 XP®



70.6 cm³
 5.8 hp
 3/8"
 20-32 in
 14.5 lbs

At just 14.5 lbs, the 572 XP® has a better power-to-weight ratio and 12% higher cutting capacity than previous Husqvarna models in the same class. Excellent cooling and heavy-duty filtration maximize reliability, while a smart design accommodates longer guide bars.

- LowVib®
- Smart Start™
- Husqvarna Air Injection™
- X-Torq® Engine
- AutoTune™
- Heated handles and carburetor (optional)



AUTOTUNE™ 3.0

Intuitive starting and optimized performance

Enjoy easy starting – hot or cold – and maximum performance in all conditions. AutoTune™ 3.0 simplifies the starting procedure and automatically optimizes the engine settings to the actual altitude, temperature, air humidity and fuel quality. No need for manual carburetor adjustment.

GAS CHAINSAW NEW
585



86 cm³
 6.9 hp
 3/8"
 18-36 in
 16.5 lbs

Robust and durable, the 585 chainsaw has all the benefits of a modern chainsaw with the traditional technology you know and appreciate. Exceptional durability combined with an impressive power to weight and a well-balanced body makes it the perfect companion for felling, limbing and bucking large trees in even the dirtiest conditions. You can fit up to 36" (90 cm) bars.

- LowVib®
- Smart Start™
- Husqvarna Air Injection™
- X-Torq® Engine

GAS CHAINSAW
365



70.7 cm³
 4.9 hp
 3/8"
 16-28 in
 14.1 lbs

The Husqvarna 365 is a chainsaw used by some of the world's hardest-working professionals. The combination of low weight and 70cc power make this saw well-suited to a variety of applications. The X-Torq® engine delivers eco-friendly performance that will help you save big on fuel.

- LowVib®
- Smart Start™
- Husqvarna Air Injection™
- X-Torq® Engine

GAS CHAINSAW
565



70.6 cm³
 5 hp
 3/8"
 20-28 in
 14.3 lbs

Promising next-generation cutting performance, the Husqvarna 565 lets you work faster and more efficiently with longer guide bars. Excellent cooling capacity and state-of-the-art filtration empower you to tackle the most demanding tasks. Equipped with revamped AutoTune™ and Air Injection™ and offering low vibrations, the 565 is a powerful yet ergonomically designed chainsaw for fast, safe work.

- LowVib®
- Smart Start™
- Husqvarna Air Injection™
- X-Torq® Engine
- AutoTune™

GAS CHAINSAW
562 XP®



59.8 cm³ 4.7 hp 3/8" 18-28 in 13.4 lbs

Husqvarna's 562 XP® chainsaw is developed for demanding work by tree care and forestry professionals. The 562 XP® has a groundbreaking design, including improved components, a new air filter, and the ability to fit bars up to 28". The X-Torq® engine delivers more power where you need it, with 20% less fuel consumption and 75% fewer emissions. Plus the 562 XP® comes with Husqvarna's X-Cut® chain for improved performance and lasting sharpness.

- LowVib®
- Smart Start™
- Husqvarna Air Injection™
- X-Torq® Engine
- AutoTune™
- Heated handles and carburetor (optional)

GAS CHAINSAW
550 XP® Mark II



50.1 cm³ 4 hp .325" 16-20 in 11.7 lbs

The second generation of Husqvarna's 550 XP® chainsaw is ready for demanding use in felling, limbing and bucking operations. The saw delivers maximum power in the 50cc class. Designed for professional forestry and tree care crews, this durable saw has improved power and a slimmed-down design. A host of innovative features guarantee comfortable and efficient operation, season after season.

- LowVib®
- Husqvarna Air Injection™
- X-Torq® Engine
- AutoTune™
- Heated handles and carburetor (optional)

BATTERY CHAINSAW
540i XP®



.325"mini 14-16 in 6.39 lbs

A rear-handle battery powered chainsaw with impressive power output – on par with a professional 40cc gas chainsaw. Ideal for tree removal and thinning as well as for arborist groundcrew work. Features advanced user interface with battery status and start/stop, excellent ergonomics and provides user-friendly balance and maneuverability. Needs to be powered with BLi300 or BLi200X battery for full performance.

- Brushless E-TORQ motor
- savE™
- Intuitive keypad with battery status
- Weatherproof (IPX4)
- 40cc class cutting performance

GAS CHAINSAW
555



59.8 cm³ 4.16 hp 3/8" 18-24 in 13.01 lbs

The power and reliability you need to take on any job. Husqvarna's 555 chainsaw is developed for demanding work. The 555 has a groundbreaking design, including improved components and a new air filter. The X-Torq® engine delivers more power where you need it, with 20% less fuel consumption and 75% fewer emissions. Plus the 555 comes with Husqvarna's X-Cut® chain for improved performance and lasting sharpness.

- LowVib®
- Smart Start™
- Husqvarna Air Injection™
- X-Torq® Engine
- AutoTune™

GAS CHAINSAW
545 Mark II



50.1 cm³ 3.6 hp .325" 16-20 in 11.7 lbs

The second generation of Husqvarna's 545 chainsaw is a 50cc unit that's ready for felling, limbing and bucking of small and midsize trees. Designed for professional forestry and tree care crews, this durable saw has improved power and a slimmed-down design. A host of innovative features guarantee comfortable and efficient operation, season after season.

- Excellent cooling capacity for a longer life
- Smart Start™
- Magnesium crankcase
- AutoTune™


BATTERY CHAINSAW
535i XP®



.325"mini 10-14 in 5.29 lbs

A lightweight and powerful, battery-powered chainsaw. Ideal for crown reduction and lighter tree removals where you need the extra reach a rear-handle chainsaw provides. Features excellent ergonomics, high chain speed and all the comfort of battery power without compromising performance.

- Brushless E-TORQ motor
- savE™
- Intuitive keypad
- Weatherproof (IPX4)
- 35cc class cutting performance



HUSQVARNA 545 Mark II AND 550 XP® Mark II
High-performance cutting in a slimmed-down package

Durability and reliability are among the most important things when taking on the challenges of forestry work. With Husqvarna 545 Mark II and 550 XP® Mark II, you'll be able to experience truly impressive maneuverability and excellent cutting performance paired with quick acceleration and easy, reliable starts. All packaged in a slim but durable chainsaw for a long product life.

📏 Cylinder displacement, cm³ ⚡ Power output, hp 📏 Chain pitch, in 📏 Recommended bar length min – max, in
 🏋️ Weight (excluding cutting equipment and battery where applicable), lbs For more technical specifications and information on engine power rating see pages 32–33.




HUSQVARNA CHAINSAW ACADEMY
Improve your skill set

Welcome to Husqvarna Chainsaw Academy – our online source for information about safe, convenient and efficient chainsaw work. It's the perfect guide for professionals. No matter what kind of experience you have, and how many trees you've cut down over the years, there's always room for improvement. Just so that you're prepared for wind-lashed forests and anything else unusual and dangerous that the elements might throw at you. Go to chainsawacademy.husqvarna.com

FORESTRY TOOLS
Everything else you may need in the forest

Your chainsaw may be your most important piece of equipment, but it's certainly not the only one. Whether you're a full-time logger or work professionally with tree care, we have a wide range of equipment to offer, from felling tools and axes to tool belts and bags. Of course, they are all held to our high standards of quality and reliability. Read more on page 44.



GAS TREE-CARE CHAINSAW

T540 XP® II



37.7 cm³
 2.4 hp
 .325" mini
 14-16 in
 8.6 lbs

With its 38cc engine, this is an impressively powerful top-handle chainsaw. The perfect tool for all sorts of professional tree care, when you need excellent performance in combination with great ergonomics.

- X-Torq® Engine
- LowVib®
- Smart Start™
- Husqvarna Air Injection™
- AutoTune™

BATTERY TREE-CARE CHAINSAW

T540i XP®



.325" mini
 5.51 lbs

Our most powerful top-handle battery powered chainsaw with impressive power output – on par with a professional 40cc gas chainsaw. Ideal for tree care and climbing work thanks to excellent ergonomics and low weight. Features advanced user interface with battery status and start/stop, excellent ergonomics and provides user-friendly balance and maneuverability. Needs to be powered with BLi300 or BLi200X battery for full performance.

- Brushless E-TORQ motor
- savE™
- Intuitive keypad with battery status
- Weatherproof (IPX4)
- 40cc class cutting performance

GAS TREE-CARE CHAINSAW

T435



35.2 cm³
 2.01 hp
 3/8" mini
 12-16 in
 7.5 lbs

Mid-sized, lightweight 35cc top-handle chainsaw, for all sorts of professional tree care. The low weight and well-balanced saw body makes it very easy to work with.

- X-Torq® Engine
- LowVib®
- Smart Start™

BATTERY TREE-CARE CHAINSAW

T535i XP®



.325" mini
 5.29 lbs

A very lightweight and powerful, battery-powered top-handle chainsaw. Ideal for crown reduction and lighter tree removals. Features excellent ergonomics, high chain speed and all the comfort of battery power, with a power output equivalent of a 35cc gas chainsaw.

- Brushless E-TORQ motor
- savE™
- Intuitive keypad
- Weatherproof (IPX4)
- 35cc class cutting performance

GAS TREE-CARE CHAINSAW

T525



27.0 cm³
 1.48 hp
 3/8" mini
 12 in
 5.95 lbs

Very lightweight and well-balanced, 27cc top-handle chainsaw. Thanks to its quick acceleration, easy starting and great reliability, it's an efficient choice for trimming, pruning and small crown reduction.

- X-Torq® Engine
- LowVib®
- Husqvarna Air Injection™



HUSQVARNA T540i XP® AND 540i XP®

Outstanding battery power performance

Impressive power on par with 40cc gas engines. Start and stop at the press of a button. And no exhausts. Husqvarna's battery powered chainsaws are tree care innovation and technology taken to the next level.



ARBORIST ACCESSORIES

Gear up for the treetops

Husqvarna's range of arborist accessories caters to professionals who rely on quality tools for quality work. Helmets, high quality throw lines and weights, wedges, carabiners and sturdy rope bags – we've got you covered. [Read more on page 44.](#)

Cylinder displacement, cm³
 Power output, hp
 Chain pitch, in
 Recommended bar length min – max, in
 Weight (excluding cutting equipment and battery where applicable), lbs.
 For more technical specifications and information on engine power rating see pages 32–33.

The best battery chainsaw (and our battery-powered future)

Batteries have come a long way! Just a few years ago, most arborists and landscapers would have scoffed at the idea of a cordless electric chainsaw that could deliver power and performance equal to that of a gas-powered unit.

But that's no longer the case. More commercial crews than ever are adding battery units to their trucks. Some are even going 100% electric. Pros are hearing the other side of the gas vs battery debate and learning the many benefits of battery.

With equipment like the 540i XP® and T540i XP® continuing to make headlines, there's no better time to experience the power and performance of Husqvarna battery tools for yourself.



540i XP® — Most Powerful Cordless Chainsaw

In the category of "Most Powerful Cordless Chainsaw," top honors were awarded to Husqvarna's 540i XP® battery chainsaw. In explaining their selection, the editors of Popular Mechanics wrote:

"In our recent test of electric chainsaws, the 40-volt 540i XP® cranked out 124 test discs of six-inch-diameter ash. What that number doesn't tell you is how quickly and easily it got to that number — without stalling, vibration, or tiring us out. The saw is supremely capable of firewood production, storm cleanup, and landscaping maintenance."



T540i XP® — The best battery- powered chainsaw 2020 (PTIA)

The T540i XP® top-handle chainsaw won top honors among battery-powered chainsaws in the Pro Tool Innovation Awards (PTIA). In praising the T540i XP® as an efficient commercial solution, the PTIA editors said:

"This chainsaw features a ground-up, new design and was developed with professional users in mind. Used with the newly released BLi200X battery, this new chainsaw has capabilities equivalent to professional 40cc class petrol chainsaws, making it ideal for tree removals and smaller felling tasks."



GAS POLE SAWS
525PT5S



25.4 cm³ 1.36 hp 1/4" 10-12 in 158.3 in 15.4 lbs

25cc pole saw with a telescopic shaft that offers our longest reach. Excellent ergonomics and superior balance help you achieve high-end results with minimum effort. For an improved working position, use the Balance Flex harness.

- X-Torq® Engine
- Telescopic shaft

GAS POLE SAWS
525P5S



25.4 cm³ 1.36 hp 3/8"mini 10-12 in 133.9 in 14.1 lbs

25cc pole saw with a detachable shaft that makes for long reach and easy transporting between work sites. Low weight, excellent ergonomics and superior balance help you work comfortably even with less accessible vegetation.

- X-Torq® Engine
- Detachable shaft

GAS POLE SAWS
525P4S



25.4 cm³ 1.36 hp 3/8"mini 10-12 in 95.7 in 11.7 lbs

Designed for easy maneuverability, this 25cc pole saw provides excellent ergonomics and superior balance, helping you avoid stresses and strains that come from awkward working positions.

- X-Torq® Engine

GAS POLE SAWS
525DEPS MADSAW™



25.4 cm³ 1.36 hp 3/8"mini 12 in 95.7 in 16.4 lbs

As the industry's first and only dielectric gas-powered pole saw that is individually tested to meet OSHA 1910.269, the MADSAW™ delivers an extra measure of safety for skilled line workers, utility workers, and tree care professionals. The MADSAW™ can be used in the bucket, in the tree, or on the ground for extreme versatility. Purposeful design allows the pole saw's sections to quickly disconnect for secure storage in a tree care truck or utility vehicle. More productive than a manual saw and more useful than a hydraulic unit, the MADSAW™ makes pruning and limbing projects more efficient than ever before.

- Meets OSHA 1910.269
- Toolless couplers
- Multiple lengths
- Adjustable, automatic chain lubrication
- Tether point
- X-Torq® Engine

READ MORE



Find our entire range of pole saws and accessories by visiting [husqvarna.com/us/pole-pruners-saws/](https://www.husqvarna.com/us/pole-pruners-saws/)

BATTERY POLE SAWS
530iPT5



1/4" 10-12 in 157.5 in 11.02 lbs

Battery pole saw with a telescopic shaft that offers our longest reach and has a power output equivalent of a 30cc gas machine. Its low weight, excellent ergonomics and quiet operation make it comfortable to use in any location at any time of day.

- Brushless E-TORQ motor
- savE™
- Intuitive keypad
- Weatherproof (IPX4)
- Telescopic shaft
- Slimmed designed cutting head

BATTERY POLE SAWS
530iP4



1/4" 10-12 in 98.4 in 7.5 lbs

Battery pole saw with a performance power output equivalent of a 30cc gas machine. Its low weight, excellent ergonomics and quiet operation make it comfortable to use in any location at any time of day.

- Brushless E-TORQ motor
- savE™
- Intuitive keypad
- Weatherproof (IPX4)
- Slimmed designed cutting head



SAW HEAD DESIGN

Impressive precision and a clear view

Husqvarna pole saws allow you to adopt a comfortable working position where you always have total control. The key to this is the slim design of the saw head, making the saw extremely well-balanced. You also have an unobstructed view of what you're pruning, further enhanced by the fact that the cutter bar is positioned on the left side instead of the right.

DIELECTRIC POLE SAW ACCESSORIES



STORAGE BAG

For transport and storage of the MADSAW™. Designed to store the dielectric segment and extension shafts in order to help maintain integrity of the fiberglass segment. The bag also features an exterior pouch with button snaps for extra storage.




BOOM MOUNTS

Designed specifically for the Husqvarna 525DEPS MADSAW. Rubber trim for bar/chain oil reservoir protection. High quality fiberglass construction and ratchet straps for durability. Designed for both round or square booms.



DIELECTRIC BAR AND CHAIN OIL

See page 65 for a complete range of Husqvarna fuel and lubricants



525DEPS MADSAW™

An extra measure of safety

The industry's first and only dielectric gas-powered pole saw that is individually tested to meet OSHA 1910.269.

GAS CHAINSAWS	3120 XP	395 XP	592 XP®	585	390 XP	372 XP®		365	572 XP®	565	562 XP®	555	550 XP® Mark II	545 Mark II
TECHNICAL SPECIFICATIONS														
Cylinder displacement, cm ³	118.8	94	92.7	86	88	70.7		70.7	70.6	70.6	59.8	59.8	50.1	50.1
Power output, hp	8.4	6.6	7.6	6.9	6.5	5.5		4.9	5.8	5	4.7	4.16	4	3.6
Sound pressure level at operator's ear, dB(A)*	102	102	112	112	107	110		110	107	105	106	106	107	106
Sound power level guaranteed (LWA) dB(A)**	116	115	119	119	119	119		119	120	119	118	118	117	116
Equivalent vibration level (ahv, eq) front/rear handle, m/s ² ***	6.7 / 7.8	6.5 / 10.2	6.6/5.3	6.6/5.3	6.5 / 7.5	5.7/8.0		5.7/8.0	5.4/4.1	5.2/5.3	3.2/5.0	3.2/5.0	3.3/4.9	3.6/4.1
Chain pitch, inch	.404"	3/8"	3/8"	3/8"	3/8"	3/8		3/8	3/8	3/8	3/8	3/8	.325	.325
Recommended bar length, min-max, inch	24-42	20-36	18-36	18-36	16-32	16-32		16-28	20-32	20-28	18-28	18-24	16-20	16-20
Weight (excl. cutting equipment), lbs	22.9	17.4	16.3	16.5	16.1	14.5		14.1	14.5	14.3	13.4	13	11.6	11.6
FEATURES														
LowVib®	●	●	●	●	●	●		●	●	●	●	●	●	●
Smart Start™	●	●	●	●	●	●		●	●	●	●	●	—	●
Adjustable oil pump	●	●	●	●	●	●		●	●	●	●	●	●	●
Inertia chain brake	●	●	●	●	●	●		●	●	●	●	●	●	●
Magnesium crankcase	●	●	●	●	●	●		●	●	●	●	●	●	●
Quick release air filter cover	●	●	●	●	●	●		●	●	●	●	●	●	●
Quick-release air filter	●	●	●	●	●	●		●	●	●	●	●	●	●
Air Injection™	—	●	●	●	●	●		●	●	●	●	●	●	●
Side-mounted chain tensioner	—	—	●	●	●	●		●	●	●	●	●	●	●
X-Torq® engine	—	—	●	●	—	●		●	●	●	●	●	●	●
Combined choke /stop control	—	—	●	●	—	●		●	●	●	●	●	●	●
Snap-lock cylinder cover	—	—	●	●	—	●		●	●	●	●	●	●	●
Heated handles	—	—	● (optional)	—	—	—		—	● (optional)	—	● (optional)	—	● (optional)	● (optional)
Heated carburetor	—	—	● (optional)	—	—	—		—	● (optional)	—	● (optional)	—	● (optional)	● (optional)
AutoTune™	—	—	●	—	—	●		●	●	●	●	●	●	●
Fuel pump	—	—	●	●	—	—		—	●	●	●	●	●	●
Retained bar nuts	—	—	●	●	—	●		●	●	●	●	●	●	●
Visible fuel level	—	—	●	●	—	●		●	●	●	●	●	●	●

*Equivalent sound pressure level, according to ISO 22868, is calculated as the time-weighted energy total for different sound pressure levels under various working conditions. Typical statistical dispersion for equivalent sound pressure level is a standard deviation of 1 dB(A). **Noise emissions in the environment measured as sound power (LWA) in conformity with EC directive 2000/14/EC. The guaranteed sound power level includes variation in production as well as variation from the test code with 1-3 dB(A). ***Equivalent vibration level, according to ISO 22867, is calculated as the time-weighted energy total for vibration levels under various working conditions. Reported data for equivalent vibration level has a typical statistical dispersion (standard deviation) of 1 m/s².

BATTERY CHAINSAWS	540i XP®	535i XP®
TECHNICAL SPECIFICATIONS		
Battery type	Li-ion	Li-ion
Voltage, V	40	40
Motor type	BLDC (brushless)	BLDC (brushless)
Sound pressure level at operator's ear, dB(A)*	95	93
Sound power level guaranteed (LWA) dB(A)**	106	106
Equivalent vibration level (ahv, eq) front/rear handle, m/s ² ***	3.6/3.7	2.5/2.8
Chain pitch, inch	.325mini	.325mini
Recommended bar length, min-max, inch	14-16	10-14
Weight (excl. battery and cutting equipment), lbs	6.3	5.7
FEATURES		
savE™	●	●
Flip up tank cap	●	●
Inertia chain brake	●	●
Intuitive keypad with battery status	●	—
Intuitive keypad	—	●
Retained bar nuts	●	●

*Equivalent sound pressure level at the operator's ear, measured according to EN ISO 22868, dB(A). Reported data for equivalent sound pressure level for the machine includes statistical uncertainty. **Noise emissions in the environment measured as sound power (LWA) is reported as guaranteed value in conformity with EC directive 2000/14/EC, with statistical dispersion included. Measured according to ISO 22868. ***Equivalent vibration levels (ahv,eq) at handles, measured according to EN ISO 22867, m/s². Typical statistical dispersion (standard deviation) of ± 1 m/s².

NOMINAL POWER The EU machinery directive (2006/42/EC) came into force on January 1, 2010, requiring manufacturers to declare the nominal power of engines, in kilowatts (kW). The power rating of the engines indicated is the average net power output during a normal working situations and meets applicable noise regulations (at specified rpm, see owner manual) of a typical production engine for the engine model measured to SAE standard J1349/ISO 1585. Mass production engines may differ from this value. Actual power output for the engine installed in the final machine will depend on the operating speed, environmental conditions and other variables.

GAS TOP HANDLE CHAINSAWS	T540 XP® II	T435	T525
TECHNICAL SPECIFICATIONS			
Cylinder displacement, cm ³	37.7	35.2	27.0
Power output, hp	2.4	2	1.5
Sound pressure level at operator's ear, dB(A)*	104	103	98
Sound power level guaranteed (LWA) dB(A)**	116	114	111
Equivalent vibration level (ahv, eq) front/rear handle, m/s ² ***	3.5/4.2	3.6/3.9	4.9/5.2
Chain pitch, inch	.325"mini	3/8mini	3/8mini
Recommended bar length, min-max, inch	14-16	12-16	12
Weight (excl. cutting equipment), lbs	8.6	7.5	6
FEATURES			
X-Torq® engine	●	●	●
LowVib®	●	●	●
Smart Start™	●	●	●
Inertia chain brake	●	●	●
Adjustable oil pump	●	●	●
Fuel pump	●	●	●
Quick release air filter cover	●	●	●
Quick-release air filter	●	●	●
Side-mounted chain tensioner	●	●	●
Flip-up tank caps	●	●	●
Air Injection™	●	—	●
Retained bar nuts	●	—	●
Magnesium crankcase	●	—	—
Belt eyelet	●	—	●
AutoTune™	●	—	—
Visible fuel level	●	—	●

*Equivalent sound pressure level, according to ISO 22868, is calculated as the time-weighted energy total for different sound pressure levels under various working conditions. Typical statistical dispersion for equivalent sound pressure level is a standard deviation of 1 dB(A). **Noise emissions in the environment measured as sound power (LWA) in conformity with EC directive 2000/14/EC. The guaranteed sound power level includes variation in production as well as variation from the test code with 1-3 dB(A). ***Equivalent vibration level, according to ISO 22867, is calculated as the time-weighted energy total for vibration levels under various working conditions. Reported data for equivalent vibration level has a typical statistical dispersion (standard deviation) of 1 m/s².

BATTERY TOP HANDLE CHAINSAWS	T540i XP®	T535i XP®
TECHNICAL SPECIFICATIONS		
Battery type	Li-ion	Li-ion
Voltage, V	40	40
Motor type	BLDC (brushless)	BLDC (brushless)
Sound pressure level at operator's ear, dB(A) *	92	93
Sound power level guaranteed (LWA) dB(A) **	103	106
Equivalent vibration level (ahv, eq) front/rear handle, m/s ² ***	2.1 / 3.4	2.0 / 2.4
Chain pitch, inch	.325"mini	.325"mini
Recommended bar length, min-max, cm/inch	12-16	10-14
Weight (excl. battery and cutting equipment), lbs	5.5	5.3
FEATURES		
savE™	●	●
Intuitive keypad with battery status	●	—
Intuitive keypad	—	●
Inertia chain brake	●	●
Belt eye let	●	●
Flip up tank cap	●	●
Retained bar nuts	●	●

*Equivalent sound pressure level at the operator's ear, measured according to EN ISO 22868, dB(A). Reported data for equivalent sound pressure level for the machine includes statistical uncertainty. **Noise emissions in the environment measured as sound power (LWA) is reported as guaranteed value in conformity with EC directive 2000/14/EC, with statistical dispersion included. Measured according to ISO 22868. ***Equivalent vibration levels (ahv,eq) at handles, measured according to EN ISO 22867, m/s². Typical statistical dispersion (standard deviation) of ± 1 m/s².

NOMINAL POWER The EU machinery directive (2006/42/EC) came into force on January 1, 2010, requiring manufacturers to declare the nominal power of engines, in kilowatts (kW). The power rating of the engines indicated is the average net power output during a normal working situations and meets applicable noise regulations (at specified rpm, see owner manual) of a typical production engine for the engine model measured to SAE standard J 1349/ISO 1585. Mass production engines may differ from this value. Actual power output for the engine installed in the final machine will depend on the operating speed, environmental conditions and other variables.

GAS POLE SAWS	525PT5S	525P5S	525P4S	525DEPS MADSAW™
TECHNICAL SPECIFICATIONS				
Cylinder displacement, cm ³	25.4	25.4	25.4	25.4
Power output, hp	1.36	1.36	1.36	1.36
Sound pressure level at operator's ear, dB(A)*	89	90	91	91
Sound power level guaranteed (LWA) dB(A) **	107	107	107	111
Equivalent vibration level (ahv, eq) front/rear handle, m/s ² ***	6.3/5.3	2.3/3.7	2.9/3.2	7.5/10
Chain pitch, inch	1/4	3/8mini	3/8mini	3/8mini
Recommended bar length, min-max, inch	12	12	12	12
Max. length with cutting equipment, feet	16	16	13	12.5
Weight (excl. cutting equipment), lbs	15.4	14.1	11.7	16.4
FEATURES				
X-Torq® engine	●	●	●	●
Auto return stop switch	●	●	●	●
Chain lubrication	●	●	●	●
Chain tensioner	●	●	●	●
Fuel pump	●	●	●	●
Rear impact guard	●	●	●	●
Stand alone starter	●	●	●	●
Telescopic tube	●	—	—	—
Inertia balancing wheel	—	●	●	●
Detachable shaft	—	●	—	●
Fiberglass shaft	—	—	—	●
Toolless couplers	—	—	—	●
Tested to OSHA 1910.269	—	—	—	●
HARNESS INCLUDED				
Standard single	●	●	●	—
Balance Flex	(●)	(●)	(●)	—

(●) = Accessory *Equivalent sound pressure level, according to ISO 22868, is calculated as the time-weighted energy total for different sound pressure levels under various working conditions. Typical statistical dispersion for equivalent sound pressure level is a standard deviation of 1 dB(A). **Noise emissions in the environment measured as sound power (LWA) in conformity with EC directive 2000/14/EC. The guaranteed sound power level includes variation in production as well as variation from the test code with 1-3 dB(A). *** Equivalent vibration level, according to ISO 22867, is calculated as the time-weighted energy total for vibration levels under various working conditions. Reported data for equivalent vibration level has a typical statistical dispersion (standard deviation) of 1 m/s².

BATTERY POLE SAWS	530iPT5	530iP4
TECHNICAL SPECIFICATIONS		
Battery type	Li-ion	Li-ion
Voltage, V	40	40
Motor type	BLDC (brushless)	BLDC (brushless)
Sound pressure level at operator's ear, dB(A) *	83	88
Sound power level guaranteed (LWA) dB(A) **	98	98
Equivalent vibration level (ahv, eq) front/rear handle, m/s ² ***	1.0 / 1.2	1.0 / 0.9
Chain pitch, inch	1/4	1/4
Recommended bar length, min-max, inch	10-12	10-12
Length, extended, with cutting equipment, inch	157	98
Weight (excl. battery and cutting equipment), lbs	10.1	7.6
FEATURES		
savE™	●	●
Intuitive keypad	●	●
Harness eyelet	●	●
Rear impact guard	●	●
Retained bar nuts	●	●
Flip up tank cap	●	●
Telescopic tube	●	—
HARNESS INCLUDED		
Single harness	●	●
Backpack battery harness	—	—

*Equivalent sound pressure level at the operator's ear, measured according to ISO 22868, dB(A). Reported data for equivalent sound pressure level for the machine has a typical statistical dispersion (standard deviation) of 1 dB(A). **Noise emissions in the environment measured as sound power (LWA) is reported as guaranteed value in conformity with EC directive 2000/14/EC, with statistical dispersion included. Measured according to ISO 22868. ***Equivalent vibration levels (ahv,eq) at handles, measured according to EN ISO 22867, m/s². Typical statistical dispersion (standard deviation) of ± 2 m/s².



Husqvarna Professional Chainsaws

The following powerhead, bar and chain configurations are available from your local Husqvarna dealer.

REAR HANDLE CHAINSAWS

MODEL	PITCH	GAUGE	BAR LENGTH	ITEM NUMBER
535i XP	.325 mini	0.043	14	967893874
			14	967864014
540i XP	.325 mini	0.043	16	967864016
			16	967146202
543 XP	0.325	0.050	16	967690636
			18	967690638
545 Mark II	0.325	0.050	20	967690640
			16	967690616
	0.325	0.058	18	967690618
			16	967690836
550 XP Mark II	0.325	0.050	18	967690838
			20	967690850
	0.325	0.058	16	967690816
			18	967690818
555	3/8	0.050	20	970501406
			24	970501408
	3/8	0.058	18	970501405
			20	970501407
562 XP	3/8	0.050	24	970501409
			18	970502102
	3/8	0.058	20	970502104
			24	970502106
365	3/8	0.050	28	970502122
			18	970502103
	3/8	0.058	20	970502105
			24	970502115
565	3/8	0.063	28	970502123
			20	970502128
	3/8	0.050	24	966428621
			28	966428624
372 XP	3/8	0.058	20	966428620
			24	966428623
	3/8	0.050	28	966428625
			20	966733906
572 XP	3/8	0.050	24	966733908
			28	966733910
	3/8	0.058	20	966733907
			24	966733909
390 XP	3/8	0.050	28	966733911
			20	965968308
	3/8	0.058	24	965968311
			28	965968315
592 XP	3/8	0.050	20	965968309
			24	965968312
	3/8	0.058	28	965968321
			32	965968343
395 XP	3/8	0.050	20	966733106
			24	966733108
	3/8	0.058	28	966733111
			20	966733107
399 XP	3/8	0.050	24	966733109
			28	966733112
	3/8	0.063	28	966733113
			32	966733114

REAR HANDLE CHAINSAWS

MODEL	PITCH	GAUGE	BAR LENGTH	ITEM NUMBER
585	3/8	0.050	20	970493070
			24	970493074
			28	970493078
			32	970493082
585	3/8	0.058	20	970493030
			24	970493024
			28	970493028
			32	970493032
585	3/8	0.063	28	970493088
			32	970493092
			36	970493096
			20	965060720
390 XP	3/8	0.050	24	965060724
			28	965060728
	3/8	0.058	32	965060732
			20	965060730
390 XP	3/8	0.058	24	965060734
			28	965060738
	3/8	0.063	28	965060750
			32	965060714
592 XP	3/8	0.050	36	965060751
			20	970493150
	3/8	0.050	24	970493154
			28 X-Tough RSN	970493168
592 XP	3/8	0.058	28 X-Tough Light	970493158
			32	970493152
	3/8	0.058	20	970493140
			24	970493144
592 XP	3/8	0.058	28	970493148
			32	970493132
	3/8	0.063	28	970493178
			32 X-Tough RSN	970493162
395 XP	3/8	0.063	32 X-Tough Light	970493142
			36 X-Tough RSN	970493156
	3/8	0.050	36 X-Tough Light	970493146
			20	965902749
395 XP	3/8	0.050	24	965902737
			28	965902739
	3/8	0.058	32	965902709
			36	965902720
395 XP	3/8	0.058	20	965902762
			24	965902763
	3/8	0.063	28	965902765
			32	965902772
3120 XP*	3/8	0.063	28	965902771
			32	965902735
	3/8	0.063	36	965902710
			—	965960701



Money back guarantee

We're confident you'll love your new Husqvarna chainsaw. So confident that we offer a money-back guarantee so you can buy without reservation. If you're not satisfied with a qualifying professional chainsaw within seven days of purchase, you can return it for a full refund or store credit towards the purchase of a new Husqvarna product from the dealer.

*Terms and conditions apply. Valid at your local participating Husqvarna Dealer only. All models are not available at all dealers, so be sure to call or visit your local dealer for more information.



1-Year professional gas powered warranty



2-Year professional battery powered warranty

Your Husqvarna chainsaw is more than a purchase, it's an investment in cutting excellence. Season after season, you depend on your chainsaws for your livelihood. As one of our customers, we know you're putting your trust in us. That's why we offer a 1-year professional-use warranty on our gas-powered professional and XP chainsaws.

*During the 1 year warranty period, Husqvarna will at its option repair or replace, at no charge, any product or part purchased after 1st of January 2019 that has a defect in material or workmanship under normal use and maintenance (including any commercial, professional, agricultural, institutional or income-producing use). This warranty is subject to the terms and conditions in Husqvarna's Limited Warranty. See the details of Husqvarna's manufacturer's warranty.

TOP HANDLE CHAINSAWS

MODEL	PITCH	GAUGE	BAR LENGTH	ITEM NUMBER
T525	3/8	0.050	12	967633312
T535i XP	.325 mini	0.043	12	970502128
			12	966997232
T435	3/8	0.050	14	966997234
			16	966997236
			14	967287614
T540 XP II (49 State)	.325 mini	0.050	16	967287616
			12	967863712
			14	967863714
T540i XP	.325 mini	0.043	16	967863716

*Powerhead only

Bar & chain fit-up

The following suggested bar and chain types are based on the most common original equipment combination. Additional Husqvarna bars and chains are available from your local dealer.

REAR HANDLE CHAINSAWS

MODEL	PITCH	GAUGE	BAR LENGTH	DRIVE LINKS	BAR MODEL	BAR ITEM NO.	CHAIN MODEL	CHAIN ITEM NO.	FILE SIZE
535i XP	.325 mini	0.043	14	59	X-Precision	596553659	SP21G X-Cut	596553359	5/32
			14	59	X-Precision	596553659	SP21G X-Cut	596553359	5/32
540i XP	.325 mini	0.043	16	64	X-Precision	596553664	SP21G X-Cut	596553364	5/32
			16	66	X-Force	596199766	SP33G X-Cut	581643666	3/16
543 XP	.325 Pixel	0.050	18	72	X-Force	596199772	SP33G X-Cut	581643672	3/16
			16	66	X-Force	596199866	H25	591099072	3/16
	.325 Pixel	0.058	18	72	X-Force	596199872	H25	591099078	3/16
			16	66	X-Force	596199766	SP33G X-Cut	581643666	3/16
545 MARK II 550 XP MARK II	.325 Pixel	0.050	16	66	X-Force	596008966	SP33G X-Cut	581643666	3/16
			18	72	X-Force	596199772	SP33G X-Cut	581643672	3/16
			20	80	X-Force	596199780	SP33G X-Cut	581643680	3/16
			20	78	X-Force	596008978	SP33G X-Cut	581643678	3/16
			16	66	X-Force	596199866	H25	591099066	3/16
	0.325	0.058	16	66	X-Force	596009066	H25	591099066	3/16
			18	72	X-Force	596199872	H25	591099072	3/16
			18	72	X-Force	596009072	H25	591099072	3/16
			20	78	X-Force	596009678	H25	591099078	3/16
			20	78	X-Force	596009078	H25	591099078	3/16
555	3/8	0.050	16	60	X-Tough	596687260	C83 X-Cut	585550060	7/32
			18	68	X-Tough	596687268	C83 X-Cut	585550068	7/32
			20	72	X-Tough	596687272	C83 X-Cut	585550072	7/32
			24	84	X-Tough	596687284	C83 X-Cut	585550084	7/32
	3/8	0.058	16	60	X-Tough	596688260	C85 X-Cut	581626960	7/32
			18	68	X-Tough	596688268	C85 X-Cut	581626968	7/32
			20	72	X-Tough	596688272	C85 X-Cut	581626972	7/32
			24	84	X-Tough	596688284	C85 X-Cut	581626984	7/32
365 372 XP 562 XP 565 572 XP	3/8	0.050	16	60	X-Tough	596687460	C83 X-Cut	585550060	7/32
			18	68	X-Tough	596687468	C83 X-Cut	585550068	7/32
			20	72	X-Tough	596687472	C83 X-Cut	585550072	7/32
			24	84	X-Tough	596687484	C83 X-Cut	585550084	7/32
	3/8	0.058	28	93	X-Tough	596687493	C83 X-Cut	585550093	7/32
			16	60	X-Tough	596689160	C85 X-Cut	581626960	7/32
			18	68	X-Tough	596689168	C85 X-Cut	581626968	7/32
			20	72	X-Tough	596689172	C85 X-Cut	581626972	7/32
585	3/8	0.050	24	84	X-Tough	596007584	C85 X-Cut	581626984	7/32
			28	93	X-Tough	596007593	C85 X-Cut	581626993	7/32
			20	72	X-Tough	596687472	C83 X-Cut	585550072	7/32
			24	84	X-Tough	596687484	C83 X-Cut	585550084	7/32
			28	93	X-Tough	596687493	C83 X-Cut	585550093	7/32
			32	105	X-Tough	596687405	C83 X-Cut	585550005	7/32
	3/8	0.058	20	72	X-Tough	596689172	C85 X-Cut	581626972	7/32
			24	84	X-Tough	596689184	C85 X-Cut	581626984	7/32
			28	93	X-Tough	596689193	C85 X-Cut	581626993	7/32
			32	104	X-Tough	596689105	C85 X-Cut	581626905	7/32
			28	93	X-Tough	596689693	H83	591164093	Square
			32	105	X-Tough	596689605	H83	591164005	Square
3/8	0.063	36	115	X-Tough	596689615	H83	591164015	Square	

REAR HANDLE CHAINSAWS

MODEL	PITCH	GAUGE	BAR LENGTH	DRIVE LINKS	BAR MODEL	BAR ITEM NO.	CHAIN MODEL	CHAIN ITEM NO.	FILE SIZE
592 XP	3/8	0.050	20	72	X-Tough	596687472	C83 X-Cut	585550072	7/32
			24	84	X-Tough	596687484	C83 X-Cut	585550084	7/32
			28	93	X-Tough Light	599656793	C83 X-Cut	585550093	7/32
			32	105	X-Tough	596687405	C83 X-Cut	585550005	7/32
	3/8	0.058	20	72	X-Tough	596689172	C85 X-Cut	581626972	7/32
			24	84	X-Tough	596689184	C85 X-Cut	581626984	7/32
			28	93	X-Tough	596689193	X-Cut C85	591164093	7/32
			32	105	X-Tough	596689105	C85 X-Cut	581626905	7/32
	3/8	0.063	28	93	X-Tough	596689693	C83 X-Cut	585550093	Square
			32	105	X-Tough	596689605	H83	591164005	Square
			32	105	X-Tough Light	599958405	H83	591164005	Square
			36	115	X-Tough	596689615	H83	591164015	Square
390 XP 395 XP	3/8	0.050	36	115	X-Tough Light	599958415	H83	591164015	Square
			18	68	X-Tough	596687468	C83 X-Cut	585550068	7/32
			20	72	X-Tough	596687472	C83 X-Cut	585550072	7/32
			24	84	X-Tough	596687484	C83 X-Cut	585550084	7/32
	3/8	0.058	28	93	X-Tough	596687493	C83 X-Cut	585550093	7/32
			32	105	X-Tough	596687405	C83 X-Cut	585550005	7/32
			18	68	X-Tough	596689168	C85 X-Cut	581626968	7/32
			20	72	X-Tough	596689172	C85 X-Cut	581626972	7/32
			24	84	X-Tough	596689184	C85 X-Cut	581626984	7/32
			28	93	X-Tough	596689193	C85 X-Cut	581626993	7/32
			32	105	X-Tough	596689105	C85 X-Cut	581626905	7/32
			36	115	X-Tough	596689115	C85 X-Cut	581626915	7/32
3120 XP	3/8	0.050	28	93	X-Tough	596687493	C83 X-Cut	585550093	7/32
	3/8	0.058	32	105	X-Tough	596687405	C83 X-Cut	585550005	7/32
	0.404	0.063	32	95	X-Tough	596690095	H64S	591164495	7/32

TOP HANDLE CHAINSAWS

MODEL	PITCH	GAUGE	BAR LENGTH	DRIVE LINKS	BAR MODEL	BAR ITEM NO.	CHAIN MODEL	CHAIN ITEM NO.	FILE SIZE
T525	3/8 Mini	0.050	12	45	X-Precision	596009745	S93G X-Cut	585422145	5/32
T535i XP	.325 Mini	0.043	12	51	X-Precision	596553651	SP21G X-Cut	596553351	5/32
			12	45	Laminated	596009745	S93G X-Cut	585422145	5/32
T435	3/8 Mini	0.050	14	52	Laminated	596009752	S93G X-Cut	585422152	5/32
			16	56	Laminated	596009756	S93G X-Cut	585422156	5/32
T540 XP	.325 Mini	0.050	14	52	X-Precision	596553659	SP21G X-Cut	596553359	5/32
			16	56	X-Precision	596553664	SP21G X-Cut	596553364	5/32
T540i XP	.325 Mini	0.043	12	51	X-Precision	596553651	SP21G X-Cut	596553351	5/32
			14	59	X-Precision	596553659	SP21G X-Cut	596553359	5/32
			16	64	X-Precision	596553664	SP21G X-Cut	596553364	5/32



X-CUT™ CHAINS AND X-FORCE™ BARS

Designed by Husqvarna

At Husqvarna, we're experts at making chainsaws. We know how essential the guide bar and chain are for total performance. That's why we see them as extensions of the chainsaw, not add-ons. We used our expertise to develop optimal guide bars and chains specifically for Husqvarna chainsaws. To provide perfect fit and performance, our X-CUT™ chains are developed side by side with our chainsaws in our manufacturing facilities in Sweden. This process has significantly improved the chains and made a real difference to the output of the chainsaw. Once you've tried it, we think you'll agree.



Materials and manufacturing processes are refined to the extreme, giving the X-CUT™ chain impressive sharpness out of the box, and even more importantly – sharpness that lasts considerably longer before filing is needed.


The X-CUT™ chain is pre-stretched at the factory so you can work for longer before re-tensioning is needed. No unnecessary chain tension required. The risk of damaging the cutting system with a slack chain is also decreased.

A carefully balanced combination of construction, materials and processes mean excellent, dynamic durability. Wear on the cutting system is reduced – and so is the need for service.

X-CUT™ chain is made for making faster cuts, and it's ready to be used straight out of the box. This improves your efficiency – and your results. The smooth cutting reduces the feed force needed, making the work easier on your body.

Thanks to the intuitive golden tie strap function, you easily can locate the starting point, simplifying the filing of the chain

Optimized profile for lower wear and longer lifetime



MINIMUM DOWNTIME, MAXIMUM RESULTS
Husqvarna X-CUT™

X-CUT™ chains are the first chains to have been developed, designed and manufactured by Husqvarna – and it has all been done in the city of Huskvarna, Sweden, where our chainsaws are developed and tested. Husqvarna X-CUT™ chains are designed to maximize your output, allowing you to work longer without interruptions. You will feel the difference, and you will produce more in the long run.

DURABLE, LIGHTWEIGHT GUIDE BARS
Husqvarna X-FORCE™

X-FORCE™ guide bars are Husqvarna's answer to the challenge of designing the perfect guide bar – a bar that's both lightweight and low-maintenance to minimize your burden, yet durable enough to withstand tough work over a long time. Husqvarna X-FORCE™ guide bars are developed in tandem with Husqvarna X-CUT™ chains, optimized for Husqvarna chainsaws. The result is a cutting system that makes your chainsaw perform on an entirely new level – delivering a fast, precise kerf with minimal friction loss.

EXTRA DURABLE SOLID GUIDE BARS
Husqvarna X-TOUGH™ and X-TOUGH™ LIGHT

X-TOUGH™ is the perfect match for your Husqvarna chainsaw when a durable, robust guide bar is your top priority. Designed with a solid steel body and RSN mount for maximum durability, X-TOUGH™ bars' high stiffness make straight cuts easier in almost any environment, with minimal pinching. X-TOUGH™ LIGHT offers a similarly robust performance with 10-15% less weight, increasing maneuverability, especially with longer guide bars.



WE'VE GOT YOU COVERED

See the entire range of accessories, oils and lubricants at [husqvarna.com/us/support/parts/ChainsawParts](https://www.husqvarna.com/us/support/parts/ChainsawParts)





HUSQVARNA X-CUT™ SP21G

SP21G is a semi-chisel .325" mini 1.1 mm chain with low kickback, specially developed to increase the cutting speed and efficiency for full-time use battery chainsaws. The chain is energy efficient and the optimized geometry delivers a consistently smooth cut, and excellent bore cut as well as improved handling and maneuverability – key characteristics when performing tree care. Fits the .325" mini X-PRECISION™ bars.



HUSQVARNA X-CUT™ S93G

This semi-chisel 3/8" mini 1.3 mm S93G chain is developed to fit smaller rear- and top-handle saws. Optimized geometry and grinding provides high cutting speed as well as low kickback. High efficiency balanced against the available power from the chainsaw will enable a smooth and precise cut.



HUSQVARNA X-CUT™ SP33G

Semi-chisel Pixel .325" 1.3 mm chain with low kickback and low stretch. The narrow kerf equals impressive cutting efficiency. Developed for professional use on mid-size chainsaws, up to 55cc. Original equipment on most Husqvarna 550 XP® chainsaws.



HUSQVARNA X-CUT™ C83 & C85

Superior cutting efficiency in clean conditions. An advanced chisel 3/8" 1.5 mm chain for 60–90cc chainsaws. Made for full-time professional use. The chain is made entirely by Husqvarna to ensure you get the best possible output from your chainsaw. With superior cutting efficiency, a sharpness that lasts and low stretch, it gives you better results, less need for maintenance and lower costs.


PIXEL CUTTING EQUIPMENT – FASTER AND LIGHTER

The slim design of Pixel cutting equipment makes a narrower cut which means an increase in cutting speed. The reduction in weight moves the center of gravity of the saw towards the rear. Together with a somewhat smaller rotating mass the gyro force is also reduced. Both of these are important factors, for example when limbing.



HUSQVARNA X-FORCE™ BARS

The X-FORCE™ laminated bars offer easier maintenance and increased productivity. Depending on the model, these benefits come from features such as updated profiles, larger nose sprocket, cutouts in the center plate, additional bearings, supported shields, and the removal of the grease hole. Available in 3/8" (15–20"), 3/8" mini (12–16") and .325" (13–20").




HUSQVARNA X-PRECISION™ BARS

The X-PRECISION™ bars are designed specifically for use with the X-CUT™ SP21G chain on Husqvarna battery-powered professional chainsaws. The optimized overall geometry and small nose radius provide efficient cutting with precise control, excellent bore cutting properties and reduced risk of kickback. Available in .325" mini (10–16").



HUSQVARNA LAMINATED BARS WITH NOSE SPROCKET


The gentle curve and small nose radius reduce the risk of kickback and facilitates good cutting control. Coated bars to protect against scratches and corrosion. Available in 3/8" mini (10–16").



NEW

HUSQVARNA X-TOUGH™ BARS WITH HARD NOSE

Solid bars are used for hard species of timber, thick bark and in very sandy, dusty or sooty conditions. The bars are coated to protect against scratches and corrosion. Available in 3/8" (18–28") and .404" (24–42").



NEW

HUSQVARNA X-TOUGH™ BARS WITH REPLACEABLE SPROCKET NOSE

Solid RSN bar with great durability and robustness. The load is transferred to the high-quality roller bearing. The bars are coated to protect against scratches and corrosion. Replaceable tip is available as a spare part. Available in 3/8" (16–28"), .325" (18") and .404" (24–42").



NEW

HUSQVARNA X-TOUGH™ LIGHT BARS WITH REPLACEABLE SPROCKET NOSE

A lightweight solid RSN bar. Improves the maneuverability while maintaining durability and robustness. The load is transferred to the high-quality roller bearing. Wear-resistant paint protects against scratches and corrosion. Replaceable tip is available as a spare part. Available in 3/8" (20–36").



HUSQVARNA CARVING BAR

Carving bars have a smaller nose radius and are suitable for sculpting and other precision work. Available in 1/4" (10–12").

Bring only your essentials

When you spend entire days working in the forest, you want to be sure to have all the equipment you need. And you want it easily accessible, but without constraints, all to be able to work efficiently and comfortably. A chainsaw from Husqvarna is of course a great start. And when you add the right professional tools within reach, you get the job done easier, safer and quicker.



COMPLETE TOOL BELT

Complete tool belt with two holsters, lifting hook, lifting tong, rear tool carrier and 15m measuring tape. The tool belt is extra wide, to provide more support for the back.



REAR TOOL CARRIER

With large storage pocket for first aid kit, spare chain and carburetor screwdriver. Holster for file, file gauge, combination spanner and tape measure.



Holster for 8" Timber Tongs, Lifting Hook and Felling Wedges.



1. TOOL BELT FLEXI
A flexible and ergonomic tool belt with excellent weight distribution and adjustable, one-hand-release belt buckle.



2. HARNESS FOR TOOL BELT FLEXI
Ergonomic design together with a chest strap evens the weight over the shoulders.



3. UNIVERSAL BAG
Universal bag for first aid kit, GPS tracker, power bar or other smaller items.



4. COMBI HOLSTER
Combi holster for lifting tongs or lifting hook plus eyelets for measuring tape.



5. HOLDER FOR MEASURING TAPE
Holder that keeps measuring tape securely in place.



6. COMBI HOLSTER WITH WEDGE POCKET
Combi holster for lifting tongs or lifting hook plus a pocket for wedges.



7. WEDGE POCKET
Pocket for multiple wedges, with individual sections keeping them in place.



8. UNIVERSAL TOOL HOLDER
Multi-purpose holder for carrying tools such as an axe, impact bar etc.



9. CARRIER HOOK
A multi-purpose hook for carrying various tools, water cans or other equipment.



10. SPRAY CAN HOLDER
Holster for a spray can that makes sure it is securely kept in its place.



11. FILE AND COMBI-TOOL HOLDER
Holder for one round and one flat file, plus combi-tool. The holder effectively prevents broken or lost tools.



12. CALLIPER HOLSTER
The caliper holster from our classic tool belt can also be used with tool belt FLEXI.



13. BREAKING BAR HOLSTER
The breaking bar holster from our classic tool belt can also be used with tool belt FLEXI.



14. ACCESSORY BAG
Extra bag, suitable for your fire extinguisher, water bottle, extra clothing and more.

TOOL BELT FLEXI - CARRIER KIT



A flexible and ergonomic tool belt with excellent weight distribution and adjustable, one-hand-release belt buckle specially developed for forestry work. Intuitive and easy to personalize with easily attached holders, pockets and harness.

Tool belt FLEXI. Harness. Accessory bag. File and combi-tool holder. Universal bag. Carrier hook. Wedge pocket.



GRAPHITE CRAYONS
Weather resistant graphite crayons for marking on dry and wet wood. Hexagonal, diameter 12 x 120 mm, 12 pcs/ package



CRAYON HOLDER WITH REEL
Holder with spring-loaded metal reel for 12 mm crayons. Robust design with a metal reel that can be attached to the tool belt or harness.



MEASURING TAPE
Easy to use, lightweight design, ideal for measuring logs and stems. Can be adjusted without tools. Marked on both sides. Robust with aluminum top.



KALIX CLIMBING ROPE
16 Strand construction. 1/2" diameter. Easy to grip. Great friction hitch interface. Polyester cover over nylon core. High abrasion resistance. Excellent energy absorption. Low Stretch. 8,260 lb tensile strength. 6740 lb MBS Rating



STRYKA CLIMBING ROPE
Double-braid construction features a robust polyester 24-strand sheath, minimal elongation, soft handling and easy knot-ability, ideal for single rope and double rope climbing techniques. 6744 lb MBS Rating



EYE-N-EYE PRUSIK
Polyester/aramid cover with polyester. High abrasion resistance. Heat resistance. Excellent rope interface. Works well with hitch climber pulleys.



2-IN-1 SAFETY LANYARD
Double action aluminum snap hooks. Lightweight hardware. Prevents accidental opening. Sewn eye terminations. Eliminates knot tying. Red hip prusik. 16 strand rope construction. High abrasion resistance. Blue core alerts user of damage/worn sheath.



CHAINSAW STRAP, ARBORIST
To be used together with a chainsaw hook for connecting the chainsaw to a belt. Elastic design. Measures 20" when relaxed and 49" fully stretched out.



CHAINSAW HOOKS, ARBORIST
For easy connection of a chainsaw to a harness. Robust construction. Optimized for T540 XP®, T540i XP® and T535i XP®.



THROW WEIGHTS, ARBORIST
High-quality weights made with highly durable Cordura fabric. Easy to attach safely to the throwline. The orange color also provides good visibility.

CARABINER, ARBORIST
Made from hot forged 707 Aluminum for high strength and low weight. Triple locking system prevents accidental opening. Key lock gate nose limits snagging of rope and clothing. CE Certified per EN 362:2004/B.



CLEARING AXE
With hickory shaft and double-edged blade that's reversible and replaceable.



HOOBAROO
Short-handled for moving logs. Polished metal head with sharply curved tip. Part of the wooden handle is painted in orange for improved visibility.



FELLING WEDGES
Made of high-impact ABS plastic. Helps the tree fall in the right direction.



LIFTING / TIMBER TONGS
Sharp tongs with grinded edges. Special hardened steel with treated surface makes them robust and less sensitive to rust.



LIFTING HOOK
Extended hook with a longer, wider opening to give a better grip when working. Special hardened steel with treated surface makes it robust and less sensitive to rust.



THROWLINE, ARBORIST
Made from high-strength, low-stretch Dyneema® fiber. The urethane coating makes it abrasion resistant and easy to tie and to throw without tangling. The orange color also provides good visibility. 1.75mm, 560 lb tensile strength.



28 L ROPE BAG, ARBORIST
Holds up to 250' of 1/2" rope. Cinch top closure keeps rope clean and dry. External daisy chains for external gear storage. Covered top handles for added comfort.



THROW LINE CUBE, ARBORIST
Foldable 16-inch fabric cube, ideal for keeping the throwline clean and free from tangles, when thrown into the canopy.




HUSQVARNA INTENSIVE CUT ROUND FILES

Designed for optimal cutting performance and longer lifetime.

- 2 PIECES**
 5/32" (4.0mm)
 11/64" (4.5mm)
 3/16" (4.8mm)
 7/32" (5.5mm)

- 12 PIECES**
 5/32" (4.0mm)
 3/16" (4.8mm)
 7/32" (5.5mm)



SHARP FORCE™ FILE GUIDE

Files both the cutter and depth gauge at one time, maintaining optimum cutting performance of the saw chain.

- 7/32"
 3/16"
 5/32"



ROLLER FILE GUIDE

Specially designed file gauges that give the correct filing angles. Use together with our round files.

- .325",
 3/8" Mini .050",
 3/8" Mini .043",
 .404"



COMBINATION GAUGES

Our combination gauges are specially designed with a file gauge and depth gauge setter together in one tool. Use together with our round and flat files for a correct filing angles and depth gauge setting.

- .325" mini pixel X-Cut,
 .325" pixel X-Cut,
 .325" pixel,
 .325",
 3/8" mini X-Cut,
 3/8" X-Cut,
 3/8"



DEPTH GAUGE TOOL

Specially designed depth gauges that give the correct depth gauge setting. Use together with our flat files.

- .325",
 3/8",
 .404",
 3/8" LoPro



BAR DRESSER

Guide bar sharpener is to help maintain the rails on your guide bar.



STUMP VISE

To fasten the chainsaw in a secure position when filing. Made of forged steel.



FILE HANDLE

Patented file locking system. Fits all our files. 25° and 30° guides ensure correct file angling.

FLAT FILES

Quality files which give you the right geometry of the cutter. 6", 12 pack



SPLITTING AXE

This heavier splitting axe is best suited for splitting thicker wood and firewood. The head is designed to easily enter the wood, with minimal effort by the chopper, and split the wood in two parts. The long handle creates extra power and has space for a two-handed grip. High-quality, hand-forged Swedish steel. 75 cm.



TRADITIONAL AXE

Suitable for small-scale tree felling, limbing logs, branch trimming and clearing bushes. The long handle gives power to the cut. High-quality, hand-forged Swedish steel. 65 cm.

SMALL SPLITTING AXE

This small splitting axe is best suited for basic splitting of lighter firewood. The head is designed to easily enter the wood, with minimal effort by the chopper, and split the wood in two parts. The small size makes it possible to use with a one-handed grip. High-quality, hand-forged Swedish steel. 50 cm.



CARPENTER'S AXE

The carpenter's axe is best suited for carpentry and other wood work. Recess in the head so that the hand gets as close as possible to the cutting edge for maximum control. High-quality, hand-forged Swedish steel. 50 cm.



CAMPING AXE

A smaller axe ideal for outdoor life in woods and fields, suitable for most tasks like chopping wood for the campfire. The size is perfect for packing in your backpack. The axe can also be attached to your belt using the edge cover that follows. High-quality, hand-forged Swedish steel. 37.5 cm.



HATCHET AXE

Small, light axe that can be used for cutting branches or splitting small wood for a campfire. High-quality, hand-forged Swedish steel. 37.5 cm.



HIKING HATCHET

A smaller axe for hiking and camping. Hand forged high-quality steel, hardened to stay sharp, with a hickory handle and leather sheath cover. 24 cm.



HUSQVARNA A1400

Universal axe ideal for splitting resinous wood. 60 cm.



HUSQVARNA A2400

Powerful universal axe for different kinds of wood work. 70 cm.



HUSQVARNA S1600

Splitting axe for splitting logs and chunks of wood. 60 cm.



HUSQVARNA S2800

Powerful splitting axe for splitting large logs. 70 cm.



HUSQVARNA H900

Small hatchet for trekking, gardening and other outdoor activities. 34 cm



TROLLEY BAG

Robust trolley bag with easy-access u-shaped zipper and silent rubber wheels. Moulded bottom and side make the bag stand upright without support. Two organizing bags included. 90 litres



DUFFEL BAG

Moisture-repellent and easily cleaned material, smart inside pockets and soft top handles. Removable shoulder straps and organizing bags included. 70 litres



UTILITY TOOL BAG

Heavy duty, reinforced bag made from water-resistant material. Features large tooth zipper for easy access, padded, adjustable shoulder straps and comfort handles and multiple interior and exterior pockets, including an interior zippered pocket for small item storage.



BACK PACK

Durable backpack for all weathers conditions. Easily cleaned material that keeps the inside dry. Roll-up seal and smart compartments for your laptop, thermos and water bottle. 30 litres



POWER BOX

Tough handy carrying case designed to carry a chainsaw, lubricants and other accessories.



CHAINSAW BAG

Bag made from recycled PET bottles, with special pockets for chainsaw files, and a bar cover that is easily removed and attached to the bag with hook-and-loop fastenings. Fits all our chainsaws.

Designed to take on the toughest of tasks

Husqvarna forestry clearing saws are designed to tackle long workdays in tough terrain with ease. Abundant power, professional-quality components and an ergonomic design – including the renowned Balance XT™ harness – these saws make work quick and efficient, with less strain on your muscles.



USER-CENTRIC DESIGN

Making a heavy job less heavy

To make the job less strenuous, we've put a lot of research into the development of our clearing saws. This has resulted in an extremely well-balanced design, a comfort handle with a thumb throttle, effective vibration dampening and the renowned Balance XT™ harness, minimizing the strain on your body. **You can find our full range of harnesses on page 55.**

X-TORQ®

Better fuel efficiency. Lower exhaust emissions

X-Torq® engines deliver great combustion efficiency, with no compromise on power or torque. Every cycle, the cylinder is flushed with fresh air before the air-fuel mixture enters the cylinder, to prevent unburnt fuel from mixing with the exhausts. The result? A significant reduction of exhaust emissions as well as improved fuel efficiency, compared to similar models without X-Torq®.

TAILORED DESIGN

Maneuvering at the perfect angle

The keys to the productivity of Husqvarna clearing saws are the design of the bevel gear and the tower as well as the length of the tube. The bevel gear is designed to keep the blades at a perfect angle, making it easier to fell trees in the right direction, while the tower is lowered and the tube shortened for easier maneuvering with less effort.



EXPLORE ONLINE

Find our entire range of forestry clearing saws and accessories by visiting [husqvarna.com/us/forestry-clearing-saws](https://www.husqvarna.com/us/forestry-clearing-saws)

BATTERY COMFORT

Battery-powered brushcutting

Husqvarna 535iFR is the most powerful battery brushcutter in our range. The 35cc equivalent power E-TORQ motor and 45cm cutting diameter provides you with the reliable levels of high performance you need to get the job done on time

INTUITIVE ADVANCED KEY PAD

Maximize your runtime

The key pad is very easy to operate and equipped with an LED indicator showing the battery status and power output.

THUMB THROTTLE

All the power at your thumb-tip

The thumb-operated throttle gives you precision control and reduces strain on your hand muscles. Just as convenient as it should be.

START MODE

Easy starts, easy work

No matter the temperature of your engine, our Start Mode will make easy work of starting up your machine. With the Start Mode activated, the engine is optimized for quick starts and at the same time a top speed brake makes sure the blade is kept from rotating while starting, increasing safety. Push the Start Mode button, pull the cord and get to work. As easy as it should be.

BATTERY SYSTEM

Flexible comfort

To achieve the best ergonomics, attach your 535iFR to a backpack harness. The choice of integrated or backpack battery is up to you.

LOWVIB®

Stay alert and save your fingers from vibration

Thanks to effective vibration dampening, you can work comfortably and efficiently without getting vibration white finger. By separating the tank and handles from the engine and cutting equipment with carefully tuned anti-vibration elements, we have managed to keep the vibrations in the handles at extremely low levels. All this helps spare your arms and hands, allowing you to stay safe in the long run.

AUTOTUNE™

Full engine performance, whatever the conditions

With AutoTune™, you can always expect reliable starts and maximum performance from your Husqvarna engine. It's an automatic feature that constantly fine-tunes the air-fuel mixture, compensating for factors such as humidity, altitude, temperature, fuel quality and, not least, air filter clogging. Your engine runs perfectly – and you never have to tune the carburetor manually again.

HUSQVARNA FLEET SERVICES™

Making it easy to keep track of your equipment

Keeping track of your equipment has never been easier. Just attach Husqvarna sensors and you'll always know where your machines are, how much they've been used, when they need service and much more. You always have total control from your computer, tablet or smartphone. [Read more on page 10.](#)



BATTERY CLEARING SAW

535iFR



45 cm 9.9 lbs

Robust and versatile, high-performance battery-powered brushcutter with a power output equivalent to a 35cc petrol brushcutter. Lightweight and well-balanced for frequent use on grass, brush and light forestry clearing. Includes trimmer head, grass blade and saw blade.

- Brushless E-TORQ motor
- 3-speed mode
- Intuitive keypad with battery status
- Integrated connectivity
- Weatherproof (IPX4)

GAS FORESTRY CLEARING SAW

555FX



53.3 cm³ 3.8 hp 19.6 lbs

A very powerful clearing saw developed for full time spacing tasks in rough conditions. The 53cc engine provides the boost and rapid acceleration you need for the toughest of jobs. Excellent comfort thanks to the Balance XT™ harness.

- X-Torq® Engine
- LowVib®
- Auto return stop switch
- Smart Start™

GAS FORESTRY CLEARING SAW

545FX AutoTune™



45.7 cm³ 2.9 hp 18 lbs

Tough, easy-to-use, high-performance 45cc clearing saw developed for full-time clearance work. Excellent comfort thanks to the Balance XT™ harness.

- X-Torq® Engine
- LowVib®
- Auto return stop switch
- Start Mode
- AutoTune™

GAS FORESTRY CLEARING SAW

545FR



45.7 cm³ 2.8 hp 18 lbs

545FR comes complete with trimmer head, grass blade and saw blade. This flexibility makes it an ideal solution for people who require the benefits both products offer in one, effective package. The X-Torq® engine provide raw power and excellent fuel economy. LowVib® vibration damping maximizes user comfort and control.

- X-Torq® Engine
- LowVib®
- Auto return stop switch
- Adjustable harness hook eyelet
- Trio-Balance harness

Cylinder displacement, cm³ Power output, hp Chain pitch, in Recommended bar length min – max, in Cutting width, cm
 Weight (excluding cutting equipment and battery where applicable), lbs

FORESTRY CLEARING SAWS	555FX	545FXT AUTOTUNE™	545FR	535iFR
TECHNICAL SPECIFICATIONS				
Cylinder displacement, cm³	53.3	45.7	45.7	—
Power output, hp	3.8	2.95	2.8	—
Fuel tank volume, fl oz	37.2	33.8	30.4	—
Sound pressure level at operator's ear, dB(A)*	103	99	99	80
Guaranteed sound power level, LWA dB(A)**	117	116	114	96
Equivalent vibration level (ahv, eq) left/right handle, m/s²***	2.1/2.3	3.5/3.2	2.9/3.2	1.4/1.7
Equivalent vibration level (ahv, eq) front/rear handle, m/s²***	—	—	—	—
Maximum power speed, rpm	9000	9000	9000	—
Idling speed, rpm	2800	2700	2700	—
Gear ratio	1:1.29	1:1.29	1:1.29	—
Drive gear angle	24	24	24	—
Weight (excl. cutting equipment), lbs	19.6	18.5	18.5	—
Battery type	—	—	—	Li-ion
Voltage, V	—	—	—	40
Motor type	—	—	—	BLDC (brushless)
Cutting width, cm	—	—	—	45
Tube diameter, mm	—	—	—	28
Weight (excl. battery), lbs	—	—	—	9.9
FEATURES				
X-Torq® engine	●	●	●	—
LowVib®	●	●	●	—
Auto return stop switch	●	●	●	—
Fuel pump	●	●	●	—
Tool-less adjustment of handlebar / handle	●	●	—	—
Forestry bevel gear	●	●	●	—
Smart Start™	●	—	●	—
Start Mode	—	●	—	—
AutoTune™	—	●	—	—
Handle heating	—	●	—	—
Detachable shaft	—	—	—	—
Flexible saw suspension	—	—	—	—
Intuitive keypad	—	—	—	●
3-speed mode	—	—	—	●
High handlebar	—	—	—	—
Integrated connectivity	—	—	—	●
Anti-vibration	—	—	—	—
savE™	—	—	—	—
Two way rotation	—	—	—	—
ErgoFeed™ trimmer head	—	—	—	—
HARNESSES INCLUDED				
Balance XT™	●	●	—	—
Balance X™	—	—	●	—
Balance XB	—	—	—	—
Balance 55	—	—	—	●
Balance 35B	—	—	—	—
CUTTING EQUIPMENT INCLUDED				
OEM Saw blade	Scarlett 225–24	Scarlett 225–24	Scarlett 225–24	Scarlett 200–22
OEM bar and chain	—	—	—	—
OEM Trimmer head	—	—	—	T35
OEM Grass blade	—	—	—	Multi 300–3

*Equivalent sound pressure level at the operator's ear, measured according to ISO 22868, dB(A). Reported data for equivalent sound pressure level for the machine has a typical statistical dispersion (standard deviation) of 1 dB(A). **Noise emissions in the environment measured as sound power (LWA) in conformity with EC directive 2000/14/EC. Reported sound power level for the machine has been measured with the original cutting attachment that gives the highest level. The guaranteed sound power level includes variation in production as well as variation from the test code with 1–3 dB(A). ***Equivalent vibration levels (ahv,eq) at handles, measured according to EN ISO 11806-1 and ISO 22867, m/s². Reported data for equivalent vibration level has a typical statistical dispersion (standard deviation) of 1 m/s².

NOMINAL POWER The EU machinery directive (2006/42/EC) came into force on January 1, 2010, requiring manufacturers to declare the nominal power of engines, in kilowatts (kW). The power rating of the engines indicated is the average net power output during a normal working situations and meets applicable noise regulations (at specified rpm, see owner manual) of a typical production engine for the engine model measured to SAE standard J1349/ISO 1585. Mass production engines may differ from this value. Actual power output for the engine installed in the final machine will depend on the operating speed, environmental conditions and other variables.



SCARLETT BLADES

Efficient and durable wood cutting blades. The tooth design provides a smooth cut while also reducing the chance of a blade getting pinched in the wood.



MAXI BLADES

High quality and durable blades designed for use with clearing saws.




CLEARING SAW BLADE FILE GAUGE

File and tooth setting gauge ensures your ability to sharpen blades with the correct angles. Can be used with both Scarlett and Maxi blades.

HARNESSES	BALANCE XT™	BALANCE X™	BALANCE 55	BALANCE 35	BACKPACK HARNESS
FEATURES					
Wide, ventilated back plate	●	●	●	●	—
Quick set adjustment points	●	●	●	●	●
Padded, ergonomics straps	●	●	●	●	●
Shock-absorbing hip pad	●	●	●	—	—
Flexible hip pad suspension	●	●	●	●	—
Wide, supporting hip belt	●	●	—	—	—
Quick release on hip pad	●	●	—	—	—
Grass and forest mode	●	●	—	—	—
Height-adjustable back plate	●	—	—	—	●
Flexible shoulder section	●	—	—	—	●
Flexible hip fixing point	—	—	—	—	●
Special setting for women	●	—	—	—	—
Holder for your battery carrier	—	—	—	—	—

BALANCE XT™




Our most advanced harness with several useful features such as settings for men and women, and a pivoting shoulder section. Weight is evenly distributed across the shoulders and between the chest and back. Also, it distributes load from the shoulders to the hips. 578 44 98-01

BALANCE X™



Delivers great relief to your upper body and arms thanks to well balanced weight distribution between the shoulders, between the chest and back, and from the shoulders to the hips. 578 44 97-01

BALANCE 55/BALANCE 35



Ergonomically designed harnesses that distribute the load optimally between your shoulders, chest and back. Balance 55, 537 27 57-01 Balance 35, 596 29 69-01

BACKPACK HARNESS



Ergonomically designed harness for carrying a backpack battery. It allows you to easily detach and switch batteries between team members while keeping your harness optimally adjusted for individual fit. 581 03 58-01

HIP-PAD



Completes the backpack battery harness in combination with battery brushcutters and battery blowers. For a more convenient and relaxed working position. 587 83 40-01

Stay charged. Any way you want to.

Battery-powered equipment is all about superior comfort, reduced noise and vibration, less weight, and zero fumes. Switching to battery power goes a long way when it comes to the work's impact on the environment.

And with our easy-to-use system of batteries and chargers, you've got everything you need for a comfortable and hassle-free work day.

BATTERY CAPACITY

The power you need. Where you need it.

Our standard batteries last about as long as one tank of gas, while our backpack batteries have enough capacity to keep you going up to a full day. For our top-handle battery chainsaw, the BLi200X battery will add even more power to your workday. This battery has been specifically designed for the tree care saw and will provide all the performance and efficiency needed in the treetops.



FLEXIBILITY

Just pick a battery and connect

The high performing Husqvarna battery system offers a wide range of options, from lightweight integrated to backpack batteries. The batteries within our system are built to be used over a long time, quick to recharge and even quicker to swap for continuous use. Our battery system allows flexible use in different Husqvarna tools and you will always find a tailored battery solution that perfectly suits your task at hand.

SMART CHARGING

From 0 to 80% in 30 minutes

Our chargers fit all our batteries and make charging quick and easy. The smart-charging algorithm quickly charges up to 80% for most batteries in as little as half an hour. So even if you run out of battery, you don't have to wait long to be up and running again.



Batteries

Interchangeable Li-ion batteries with a capacity of 94, 187 or 338 Wh.



Backpack battery

Comfortable, heavy-duty backpack with enough battery capacity for up to a full day's work.

Battery belt FLEXI

Comfortable belt with room for up to three batteries as well as additional accessories. Available in two different configurations.



Three ways to connect. You choose.

1

MACHINE + BATTERY

Combination optimized for maximum agility.



2

MACHINE + BATTERY + BATTERY BELT FLEXI WITH ADAPTER KIT

Combination optimized for low weight.



3

MACHINE + BACKPACK BATTERY + ADAPTER

Combination optimized for longest runtime.



Chargers

Quickly charge integrated batteries as well as backpack batteries with our chargers with active battery cooling.



Adapter

The adapter allows you to connect a backpack or battery belt FLEXI with connector kit to a handheld machine, to lighten the load on your arms and shoulders and to have more runtime.

How long will the battery last?

The working time with a fully charged battery depends on three variables: the capacity of the battery, which machine the battery is used with, and if you're doing light or tough work. The chart shows an estimate of the operating time you can expect from your Husqvarna battery equipment in different work situations.

The charging time for a fully discharged battery depends on the capacity of the battery and which of the chargers you use. In many cases the charging time will be shorter than the working time. This means with two batteries available, you can work continuously – one battery operating and the other battery charging.

CHARGING TIME FOR DIFFERENT BATTERIES AND CHARGERS

BATTERY	CHARGING CYCLES	QC500		QC330		QC80F/QC250	
		CHARGING LEVEL		CHARGING LEVEL		CHARGING LEVEL	
		80%	100%	80%	100%	80%	100%
BLi950X	1500	1 h 40 min	2 h 20 min	3 h	4 h 5 min	—	—
BLi300	1500	35 min	1 h	55 min	1 h 20 min	4 h	4 h 20 min
BLi200X/ BLi200	1500	30 min	50 min	30 min	50 min	2 h 25 min	2 h 40 min
BLi100	1500	30 min	50 min	30 min	50 min	1 h 5 min	1 h 25 min

Required temperature for charging: min. 41°F (5° C), max. +104°F (+40° C).

WORKING TIME ON ONE CHARGE


BATTERY	540iXP®/ T540iXP®/ 535i XP®/ T535i XP®				540iXP®/ T540iXP®	535iFR			520iLX		530iPT5/ 530iP4	520iHT4/520iHE3/ 520iHD70/520iHD60		550iBTX**		530iBX***/ 525iB		K 535i	
	CARPENTER	PRUNING	LOG CUT	PRUNING	TAKE DOWN	CLEARING	TOUGH	TOUGH	LIGHT	TOUGH	PRUNING	LIGHT	TOUGH	LIGHT	TOUGH	LIGHT	TOUGH	CUTTING	
BLi950X	18 h 45 min	7 h 30 min	3 h 30 min	17 h 30 min	12 h	3 h 20 min	1 h 50 min	2 h 25 min	8 h 15 min	4 h 15 min	BLi950X	11 h 30 min	12 h 30 min	6 h	1 h 45 min	1 h	3 h 30 min	1 h 45 min	—
BLi300	5 h 30 min*	2 h 15 min	1 h	5 h 30 min*	3 h 30 min	1 h	30 min	45 min	2 h 15 min	1 h 15 min	BLi300	3 h 30 min	3 h 45 min	1 h 45 min	—	—	1 h	35 min	up to 240 pcs
BLi200X	3 h*	1 h 15 min*	35 min*	3 h*	2 h*	30 min	15 min	25 min	1 h 20 min	40 min	BLi200X	2 h	2 h	1 h	—	—	35 min	15 min	up to 140 pcs
BLi200	3 h	1 h 15 min	35 min	3 h	2 h	30 min	15 min	25 min	1 h 20 min	40 min	BLi200	2 h	2 h	1 h	—	—	35 min	15 min	up to 140 pcs
BLi100	1 h 30 min	40 min	15 min	1 h 30 min	1 h	—	—	—	40 min	20 min	BLi100	50 min	1 h	30 min	—	—	20 min	10 min	—

The runtimes are up-to-times and correspond to work time using saveE™: actual work, basic maintenance and movement/climbing needed for generic operations. * Recommended for maximum performance
 Requires BLi backpack battery. *Requires backpack battery / battery belt FLEXL. ****Requires adapter plate and battery adapter for use with backpack battery

Best option

What a team could save in 2 years

Gas is expensive. Electricity less so. So when you invest in battery-powered equipment, it doesn't take long before you get your money back. In the long run, you can actually save a lot of money by switching to battery power. This example is based on a landscaping team of three people working for two years with a typical range of comparable equipment.



BACKPACK BATTERY
HUSQVARNA BLi950X

1120 Wh
20.7 lbs with harness



Very high-capacity, 31.1 Ah backpack battery with long-lasting power and top-class performance, allowing you to work with fewer breaks and higher efficiency. The adjustable harness is ergonomically designed and provides great comfort thanks to the wide, padded straps and hip belt. Rechargeable up to 1500 times.

BATTERY
HUSQVARNA BLi300

338 Wh
4.2 lbs



Integrated, 9.4 Ah battery for professional use. Provides excellent runtime and market-leading capacity/weight ratio. Features 4-LED charge indicator, all-weather operation and excellent cooling. Rechargeable up to 1500 times.

BATTERY
HUSQVARNA BLi200X

187 Wh
2.9 lbs



Integrated, 5.2 Ah battery optimized for use with the T540i XP® chainsaw. Provides excellent runtime in a slim package. Features 4-LED charge indicator, all-weather operation and excellent cooling. Rechargeable up to 1500 times.

BACKPACK BATTERY
HARNESS



Ergonomically designed harness for carrying a backpack battery. It allows you to easily detach and switch batteries between team members while keeping your harness optimally adjusted for individual fit.

BATTERY
HUSQVARNA BLi200

187 Wh
2.9 lbs



Integrated, 5.2 Ah battery for professional use. Provides good runtime in a slim package. Features 4-LED charge indicator, all-weather operation and excellent cooling. Rechargeable up to 1500 times.

BATTERY
HUSQVARNA BLi100

94 Wh
1.9 lbs



Integrated, 2.6 Ah battery for professional use. Provides low weight. Features 4-LED charge indicator, all-weather operation and excellent cooling. Rechargeable up to 1500 times.

CHARGER
HUSQVARNA QC500 / QC330



Extremely fast battery charger. Actively cools batteries. 2-LED status indicator. QC500, QC330

CHARGER
HUSQVARNA QC250

NEW



Husqvarna QC250 is compact single bay desktop charger suitable for over-night charging.

CHARGER
HUSQVARNA QC80F



QC80F is a field charger for charging from a 12V car/truck outlet during transport.

INVERTER
HUSQVARNA VI600F



Enables quick charging in the field by converting 12V DC from any lead-acid battery to 220V AC for your QC500 or QC330 quick chargers.

Husqvarna battery belt FLEXI

Husqvarna battery belt FLEXI allows you to carry up to three Husqvarna BLi batteries and accessories on your hips for added comfort during long, productive workdays. By having your product connected to the battery, and carrying the battery in the belt, you can reduce the load for your arms and hands. Durable and comfortable design for tough work.



BATTERY BELT FLEXI
ADAPTER KIT



For connecting to Husqvarna products with a BLi battery slot. Also, for carrying spare batteries and accessories.

BATTERY BELT FLEXI
CONNECTOR KIT



For connecting Husqvarna 530iBX blower. Also, for carrying spare batteries and accessories. Adapter available for connecting to Husqvarna products with a BLi battery slot (sold separately).

1. HARNESS FOR BATTERY BELT FLEXI

Thanks to the padded shoulder straps, the harness evens the load distribution over the shoulders when using machines in different angles.

2. ADAPTER

Connects your handheld equipment to a backpack battery or to a battery belt FLEXI with connector kit, for a more comfortable workday.

3. ACCESSORY BAG

Convenient bag that fits your battery belt FLEXI. For storing all sorts of small tools, water bottle and other accessories.

4. BLi CARRIER

Attach up to three BLi carriers to your battery belt FLEXI or one carrier to your Balance XB harness.

ACCESSORIES BATTERY BELT FLEXI



5. COMBI HOLSTER WITH WEDGE POCKET

Combi holster for lifting tong, or lifting hook plus a pocket for wedges.

6. FILE AND COMBI-TOOL HOLDER

Holder for one round and one flat file, plus combi-tool. The holder effectively prevents broken or lost tools.

7. SPRAY CAN HOLDER

Holster for spray can, makes sure the can is securely kept in its place.

8. CARRIER HOOK

A multi-purpose hook for carrying various tools, water cans or other equipment.

BATTERY BOX

Box for safe transport and storage of Husqvarna batteries, chargers and other accessories.

Feed your Husqvarna equipment a healthy diet

If you want your equipment to perform at its best, day in day out, you want to be sure to only use the best fuel and lubricants. When you choose from our range, you can rely on getting the very same exceptional quality we used when we developed and tested your Husqvarna product.



Engineering approved lubricant guaranteed to keep your power equipment running like new.



001HVA002
PRODUCT MEETING JASO M345

Meets industry's highest standard for 2-stroke oil performance.
*XP+ only



Less deposits and cleaner parts extends engine life by reducing risk of ring sticking.



Lower operating temperature, reducing the risk of engine failure.

Optimize your machine's performance

Give your Husqvarna product what it needs. Our selection of oil and fuel products is made of the highest quality components, developed by Husqvarna, for your Husqvarna products. It meets all the high demands that you put on your product.



Benefits of X-GUARD premium bar & chain oil



Great all-around, every day use bar and chain oil.



For use below 32°F (0°C).



Biodegradable in 28 days or less.



X-GUARD

X-GUARD PREMIUM BAR AND CHAIN OIL

Formulated from virgin base stock oils, Husqvarna's X-Guard lubricant reduces friction and wear on cutting bars and chains, extending the life of cutting equipment. X-Guard's reduced sling formulation includes a premium tackifier additive, which ensures the lubrication is maintained on the cutting equipment for optimal performance.

All Season	1 Qt
All Season	1 Gal
All Season	55 Gal
Low Temp	1 Gal
Low Temp	55 Gal
Bio	1 Gal



X-GUARD

X-GUARD DIELECTRIC BAR & CHAIN OIL

Husqvarna X-Guard Premium Dielectric Bar & Chain Oil is designed for use in tools that are tested to meet OSHA 1910.269. It is formulated with additives to resist conducting electricity and to maintain dielectric strength up to 36KV in the event of a current or voltage being applied to it. Additionally, the premium blend of base stocks and tackifier additives reduces high speed throw-off and extends bar, chain and sprocket life by protecting against wear.

1 qt



XP+ SYNTHETIC BLEND 2-STROKE OIL

Husqvarna XP+ 2-Stroke Oil has been engineered to maximize your engine's performance. The Husqvarna XP+ low smoke formulation is also specifically engineered to ensure lowest operating temperature, preventing premature engine bearing failures.

2.6 oz	1 Gal
5.2 oz	5 Gal
6.4 oz	55 Gal
12.8 oz	



HP SYNTHETIC BLEND 2-STROKE OIL

The semi-synthetic base oils and high quality additives used in the Husqvarna HP formulation ensure optimal lubricity and detergency, resulting in lower operating temperature and less deposits in the crankcase.

2.6 oz	1 Gal
5.2 oz	5 Gal
6.4 oz	55 Gal
12.8 oz	



XP+ 2-STROKE FUEL + OIL

Husqvarna ETHANOL FREE, High Octane Fuel is mixed with Husqvarna's best synthetic oil blend. OCTANE RATING: (R+M)/2 METHOD 95. This product was specifically formulated to provide optimal equipment performance. Fuel does not degrade or oxidize like pump gas and stays fresh for years. Easier, more dependable starts. Protects fuel systems and saves carburetors. Avoids costly rebuilds and downtime. Convenient, ready to use, no mixing required. JASO-FD certified premium synthetic oil blend.

1 Qt
.859 Gal
4.75 Gal
48 Gal

Stay safe. Move freely.

Good protective equipment must withstand demanding conditions and provide the required protection. That's why we use nothing but high-quality materials. Our range of protective clothing is developed to match the different requirements of every type of work. In fact, our extensive range of safety clothing, offering the latest innovations in design and materials, will provide you with the level of protection and comfort you need to get the job done.




EXPLORE ONLINE

Find our extensive range online at
husqvarna.com/us/personal-protective-equipment

COMFORT

A pleasure to work in

Our range of protective clothing is designed to keep you comfortable and focused throughout the day. The clothes are carefully crafted for perfect fit, with lightweight stretch fabric, extra padding and pre-bent materials in the right places, so you can move freely with minimum effort. Ventilated jackets, trousers and helmets help you stay cool, even when you work hard.



PROTECTION

Don't compromise on safety

Working outdoors can sometimes be hazardous. To minimize the risk of injury, be sure to choose the right protective gear. The Technical Extreme and Technical ranges are specifically developed for the tough demands of professional forestry and landscaping, with high-quality materials, saw protection and user-friendly design, efficiently protecting your limbs, head, ears and eyes from harm.



GROUND WORK GEAR

Tailored for brushcutting and trimming

If you spend your days working with a trimmer or a brushcutter, you should check out our Technical series for brushcutting. It's designed with lightweight, yet durable materials, with extra padding to reduce the strain on your shoulders and to protect your right hip, so you can work comfortably in a harness all day, in any conditions. **Learn more on pages 70.**



ARBORIST HELMET TECHNOLOGY

Exceptional protection and comfort

MAXIMUM VENTILATION Thanks to air intakes and an internal outflow channel that guarantees breathability while preventing entry of debris.

HIGH-TECH AND MAXIMUM COMFORT Fabric dries quickly, encouraging the expansion and dispersion of moisture.

RING TO HOOK Loop on the chin strap allows the helmet to be connected to the harness.

Keep your head cool and protected

HUSQVARNA ELEVATION (CLASS C)

Designed for the professional arborist who requires comfort, safety and style while working. Ventilated for breathability. Universal fit with a wheel ratchet depth adjustment. Front clips allow for addition of head lamp. Compatible with Husqvarna's arborist helmet ear muffs (sold separately) and three visor styles, including clear, mirror and smoke (sold separately).

Meets both ANSI/ISEA Z89.1 – 2014 and CSA Z94.1 – 2015 Type 1, Class C. Maximum 10-year shelf life. Backed by a 3-year warranty.



HUSQVARNA SPIRE™ (CLASS E)

Designed for the professional arborist who requires comfort, safety and style while working. Orange color for visibility. Universal fit with a wheel ratchet depth adjustment. Front clips allow for addition of head lamp. Compatible with Husqvarna's arborist helmet ear muffs (sold separately) and three visor styles, including clear, mirror and smoke (all sold separately).

Meets both ANSI Z89.1 – 2014 and CSA Z94.1 – 2015, Type I, Class E. Meets and exceeds ISEA / ANSI Z89.1 – 2014, Type I with Electrical Insulation – Rated to Class E. Maximum 10-year shelf life. Backed by a 3-year warranty.



ARBORIST VISOR

Polycarbonate, impact-resistant visor is anti-fog and scratch-resistant. Can be easily raised or lowered and provides excellent visibility.



Well ventilated

Ventilated for optimal breathability and comfort during demanding work and warm conditions.



Comfortable chinstrap

The four-point chinstrap is made from washable eco-leather for maximum comfort and convenient fit.



Extended leg

An extra inch has been added to make sure the trouser stays over the boot when climbing, for protection and comfort.

PROTECTIVE TROUSERS, TECHNICAL EXTREME ARBOR

Made for arborists designed for climbing

Chainsaw pant tailored around an arborist's environment and needs with a Euro design/feel. High tech materials with Dyneema®, Cordura® and Kevlar® for maximum resistance to wear at the lowest possible weight. Lightweight reinforcements throughout. Comes with "easy to remove" suspenders. No back pockets and lower ventilation zippers not to interfere with harness. Side pockets with reversed direction of zippers for easy access. Loops to hang carabiners. Double front pockets. Reinforced smooth area for spikes. 6 layers of protection meets CAN/BNQ 1923-450-M91.



CLOTHING FOR ARBORISTS

Tailored for high-level tree care and pruning

As a professional arborist, you have very special demands when it comes to protective clothing in terms of safety, mobility and comfort. When designing and manufacturing Husqvarna's arborist clothing, we choose the best items in our Technical and Technical Extreme collections and re-design them to create the ultimate gear for arborists.



Hook-and-loop on braces

The braces are easy to remove and put on, offering a fast and easy switch depending on the work performed.



Durable and lightweight reinforcements

High tech materials with Dyneema®, Cordura® and Kevlar® for maximum resistance to wear and tear in the areas most needed. Extra reinforced crotch with stretch.



Easy access pockets

Side pockets with reversed zips for easy access when wearing harness, and double thigh pockets with loops for storage.



TECHNICAL JACKET

Lightweight, ventilated and safe, Husqvarna's Technical jacket is designed to meet the needs of many professional jobs. With 4-Way stretch, Hi-Viz, material and many gear pockets the Technical jacket is a must have for outdoor tree care professionals. 4-Way stretch material and prebent arms for optimum movement. Lightweight design for comfort. High visibility orange and reflective highlight for additional safety. Reinforced elbows using Cordura®.



TECHNICAL

Dress up for a productive workday

The Husqvarna Technical clothing range is designed and manufactured to perform all day, every day. Task-optimized design meets modern styling, while tough, light stretch fabrics, reinforced panels, pre-bent knees and elbows offer high resistance, durability and performance. You'll look good. And you'll work even better.

WORK T-SHIRT, TECHNICAL

Light and cool t-shirt made from recycled polyester. With zipper front, extended back and easy access zipped front pocket. The t-shirt is ideal for use in warmer weather. The material transports moisture away from the body and dries quickly. Available with long or short sleeves. Size S-XXXL.



TECHNICAL



TECHNICAL CHAINSAW PANTS

Husqvarna protective pants were designed taking into consideration all customer needs including comfort, weight, temperature, fit, convenience and most importantly safety. Our chainsaw pants are setting a standard with features any chainsaw user will appreciate. 4-Way stretch material and pre-bent knees for optimum movement. Ventilation areas (legs, back pockets) for breathability. Lightweight design for all day comfort. Phone and gear pockets for added versatility. Reinforced knees using Cordura®. Certified chainsaw protective pant - these pants are tested in accordance with ASTM F1897 (US) for leg protection for chainsaw users.

TECHNICAL HI-VIZ CHAINSAW PANTS

Husqvarna protective pants have been completely redesigned taking into consideration all customer needs including weight, temperature, fit, convenience and most importantly safety. The Technical Hi-Viz Pants are setting a standard for Husqvarna protective pants and offer many features and benefits any chainsaw user will appreciate. 4-Way stretch material and pre-bent knees for optimum movement. Ventilation areas (legs, back pockets) for breathability. Lightweight design for all day comfort. High visibility orange and reflective highlight for additional safety. Phone and gear pockets for added versatility. Certified chainsaw protective pant. Reinforced knees using Cordura®. These pants are tested in accordance with ASTM F1897 (US) for leg protection for chainsaw users.

TECHNICAL APRON WRAP CHAINSAW CHAPS

Apron wrap chap made in 1000 Denier Polyester with PU coating. It contains 5 layers of TEK WARP protective material. Felling wedge and gear pocket. Acetal Delrin buckles. Adjustable waist size up to 38" (overall length is from waist to ankle). Wash in cold water mild detergent and hang to dry. Never use chlorine bleach. Meets ASTM F1897, ANSI Z133.1. UL® certified. Meets OSHA regulation 1910-266.



FUNCTIONAL



FUNCTIONAL IMPACT WORK PANTS

Great all-around pants for landscaping, brushcutting, and many other outdoor work activities. Lightweight poly cotton shell for all-day comfort. Ventilation on back of the legs for breathability. Reflective Husqvarna logo for high visibility. Gear pocket. 500D Cordura articulated knee and leg. 2 layers of Veratex felt for shin protection.

FUNCTIONAL APRON CHAINSAW CHAPS

5 Layer Frontal Apron Chainsaw Chaps. 600 Denier Polyester with PVC Coating with TEK WARP PROTECTIVE LAYERS. Felling wedge pocket. Acetal Delrin buckles. Adjustable waist size up to 38" (overall length is from waist to ankle). Wash in cold water mild detergent & hang to dry. Never use chlorine bleach. Meets ASTM F1897, ANSI Z133.1. UL® Certified. Meets OSHA Regulation 1910-266.



Pre-bent knees

The knees are pre-bent and have been tailored to offer maximum mobility without compromising safety.



Adjust for perfect fit

The clothes come with elastic drawstrings at the waist and at the lower bottom of the jacket, allowing you to adjust your gear for perfect fit.

CLASSIC



CLASSIC CHAINSAW PANTS

Husqvarna protective pants were designed taking into consideration all customer needs including comfort, weight, temperature, fit, convenience and most importantly safety. Our chainsaw pants are setting a standard with features any chainsaw user will appreciate. Durable material to hold up in various conditions. Light weight design for all day comfort. Reflective Husqvarna logo for high visibility. Reinforced knees. Ventilation on back of legs for breathability. Phone pocket. True fit sizing. Certified chainsaw protective pant - these pants are tested in accordance with ASTM F1897 (US) for leg protection for chainsaw users.

CLASSIC CHAINSAW CHAPS

5 layer frontal apron chainsaw chaps contain PVC coated 600 denier polyester with Tek warp protective layers. Tool/Gear pocket. Acetal Delrin buckles. Adjustable waist size up to 38" (overall length is from waist to ankle). Wash in Cold water mild detergent & hang to dry. Never use chlorine bleach. Meets ASTM F1897, ANSI Z133.1. UL® Certified. Meets OSHA Regulation 1910-266.



Well ventilated

Openings at the yoke and at the lower back make for good ventilation. Zippers in the armpits and at the back of the legs let you adjust the airflow to your liking.



Easy-access pockets

The jacket has two pockets on the chest and a dedicated first-aid pocket. The trousers feature two front pockets, two back pockets, a leg pocket and a ruler pocket.



SAFETY GEAR

Made for working

For high-quality work, you need high-quality work wear. And of course, that means tried and tested premium gear. Husqvarna's range has been designed and developed to provide everything you need when it comes to protection, warmth and functionality to get the job done safely and efficiently. And every pair has polycarbonate lens with 99.9% UV protection and meets ANSI Z87.1.



CLASSIC

Featuring a dielectric design with extended curved lens protection. Dual mold rubber temples and adjustable rubber nose piece. Black frame color with indoor/outdoor lens color.



SPORT

Premium protective sunglasses designed for extreme style and performance. Incredibly lightweight for all day wear.



TORQUE

Maximize your power at work or play in Husqvarna's Torque Protective Glasses. These glasses offer extreme style and extreme performance and are incredibly lightweight for all-day wear.



FLEX POLARIZED

Premium protective sunglasses with vented rubber nose piece for breathability and dual-mold rubber temple grips for better stability. Polarized lenses eliminate reflective glare for reduced eyestrain and enhanced view. Crystal black frame color and smoke lens color.



VIBE

Premium protective sunglasses offer the perfect combination of style and safety for both men and women. Features a vented rubber nose piece for breathability and dual-mold rubber temple grips for better stability. Purple frame color. Gradient mirror lens color.



SAVANNAH

Premium protective sunglasses with a half-frame style for unobstructed visibility. Features soft rubber temples and nose piece. Camo frame color. Bronze lens color.



LEGACY

Sleek modern full frame design for added protection. Dual mold rubber temple grips for better stability. Husqvarna Orange and Grey Frame Color. Silver / Mirror lens color.



WOODLAND

Premium glasses with a sleek, modern, full-frame design for added protection. Features dual-mold rubber temple grips for improved stability. Woodland camo frame color. Smoke lens color.



CLEAR CUT

Premium protective sunglasses with an adjustable rubber nose piece for added comfort. Dual mold rubber temple grips for better stability. Husqvarna grey frame color with orange temple grips. Silver mirror lens color.



FREESTYLE

Premium protective sunglasses with a sleek, lightweight, full frame with wide temples. Features a custom logo design for added style. Matte black frame color. Fire mirror lens color.



FORTRESS

Enjoy strong workday protection in Husqvarna's Fortress sunglasses. Features EVA foam-lined frames that effectively protect against dust and debris. Available in crystal black frame color with a smoke lens shading.



TECHNICAL CHAINSAW PROTECTION GLOVE

A Technical glove with saw protection 20m/s. Goat leather palm with interlock jersey and grey foam and laminated spandex fabric on back. Goat leather provides excellent protection against moisture and is suitable for demanding work. Made with comfortable seams that follows the hand shape and with double thumb stitching.



TECHNICAL WORK GLOVES

Husqvarna's Technical Work Gloves are heavy-duty gloves featuring full-coverage impact protection with secure wrist closures. Features D30® palm padding with DuraHide™ genuine leather. Lightweight and breathable with high-visibility colors.



FUNCTIONAL CHAINSAW PROTECTION GLOVES

A comfortable saw protection glove made with a goat leather double palm with foam laminated spandex on the back and with nylon neoprene knuckles. Goat leather provides excellent protection against moisture and is suitable for demanding work. Knitted wrist makes it easy to put on and provides soft comfort. Cut resistant material in left hand.



FUNCTIONAL WORK GLOVES

The Functional Glove is a padded palm work glove. Secure wrist closure. Reinforced palm protection. D30® palm padding. Lightweight and breathable. High-Viz protection. Touchscreen capable with smart phones.



TECHNICAL WINTER GLOVES

Get a grip on winter weather with Husqvarna's technical winter gloves featuring knuckle guard with EVA foam padding that extends to the index and middle finger. C100 3M Thinsulate™ traps warm air to help regulate your body temperature. Water-resistant nylon back-of-hand protection guards against the elements. Rugged Armortex® palm and thumb reinforcement provides robust abrasion resistance.



CLASSIC WORK GLOVES

The Classic Work Gloves are general-purpose gloves featuring quick-fit elastic closures, synthetic leather palms, and high visibility design. Lightweight and breathable, the gloves are fully touchscreen capable with smart phones.



XTREME GRIP GLOVES

The latex double-dipped formed gloves are both breathable and comfortable. They provide grip in wet or dry conditions. Nylon/spandex is used on the back of the hand for better and tighter fit. Gloves are fast drying.



XTREME DUTY WORK GLOVES

Designed for multiple jobs such as rope/cable or wood handling, filing, and other everyday jobs. Heavy duty pig skin designed with a double reinforced split grain leather palm, thumb and index finger where reinforcement is needed most. Gunn cut with a shirred elastic back for a snug, secure fit.



RUBBER BOOTS, FUNCTIONAL WITH SAW PROTECTION

Work-ready Husqvarna logging boots that offer chainsaw resistance, waterproof protection, oil-resistant soles, and steel toes for optimal safety. Made of high-quality natural rubber, the boots feature cotton pile linings and 4-layer insoles, along with heel grips and ankle guards. Optional liners and caulks available. Meets OSHA Regulation 1910.266, and the steel toes meet ANSI and CSA standards (ANSI Z41-1999 I/75 C/75).

Safety gear that doesn't restrict you

Your safety is our top priority. At Husqvarna we leverage feedback from our wide network of long-term, professional users combined with extensive research to develop a comprehensive line of ergonomically designed protective equipment.

PAGE 68

EXPLORE OUR ARBORIST HELMET

FOREST HELMET, TECHNICAL

Lightweight with great visibility

A robust, yet lightweight helmet with an ergonomic design – packed with smart solutions that lessen the weight, enable a more personal fit and ensure a better head temperature even during long shifts. It also offers an improved field of vision and a headlamp slot.

Fluorescent orange



Cool and comfortable

The ventilation system keeps your head cool and comfortable, even during hard work in hot weather.



Free view visor

The unique design gives a clear line of sight with the visor in upper position.



Easily adjustable

The one-hand wheel ratchet allows the user to quickly and easily change the size with one hand.



UV expiration indicator

The protective capability decreases when exposed to sunlight. The indicator shows the condition of the helmet and when it is time to replace it.



HEARING PROTECTION WITH HEADBAND

Hearing protection where you can adjust the pressure by 20%. With soft, airy padding in the headband. The hearing protectors are developed for optimal ergonomics.

FACE & HEARING PROTECTION

Comfortable hearing protectors where you can adjust the pressure by 20%. Ideal for grass clearing and trimming. Features a cover between the visor and headband, protecting your head from grass and rain. Always use mesh visor in combination with protective glasses.




Change clothes. Not who you are.

Show who you are, even if you're not doing any tough work at the moment. The Husqvarna Xplorer series is designed with that in mind. These leisurewear clothes and accessories will help you feel comfortable and express your workday confidence in your free time.



EXPLORE ONLINE

View the entire range at husqvarna.com/us/apparel-gear



Premium materials maximize breathability and comfort



Engineered for high functionality and rugged conditions



Quality construction and contemporary designs are the perfect fit for any lifestyle



TRÄD



TRÄD



ÅRGÅNG



DYGN



TERRÅNG



UTFORSKARE



LÅNGTRADARE



VANDRA



JAKT

Beyond easy partnership

Buying a Husqvarna product means buying into a complete support system of quality and reliability. One essential part of the experience is being able to feel confident that your products always receive the best possible care, and that the correct spare parts and right components are used.

Through our dedicated dealer network, you'll have access to expert know-how and servicing options as well as a rapid delivery system for Husqvarna Genuine parts when time is of the essence.

Husqvarna Care has been developed to provide you and your business with the uptime and cost efficiency necessary for a truly successful operation. We care. So that you don't have to worry.



WARRANTY

The protection your products deserve

Even the most reliable tools need a reliable warranty. Our gas-powered professional chainsaws come with a standard one-year warranty. And our battery-powered chainsaws are covered for two-years. More than giving you added peace of mind, this warranty supports our commitment to provide professionals with tools of high quality, dependability and reliability.

HUSQVARNA DEALERS

Knowledge and expertise

Husqvarna has a worldwide dealer network and your local Husqvarna dealer is always ready to assist you with professional products for your specific application needs as well as maintenance advice and service assistance. If you haven't already located your Husqvarna dealer, simply use the dealer locator at www.husqvarna.com

HUSQVARNA GENUINE PARTS

Original parts for genuine performance

Husqvarna Genuine Parts make sure your Husqvarna product can maintain performance at its peak potential, over time. They are tailor-made to fulfill the same requirements as the factory-fitted parts in the original product. Regular maintenance and service, using Husqvarna Genuine Parts perfectly matched to the product, is the best way to ensure continuous uptime, a long service life, as well as a safe and smooth Husqvarna experience.



Husqvarna[®]

[husqvarna.com](https://www.husqvarna.com)

@husqvarnausa

@husqvarnaca