

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Trade name or designation	Husqvarna 4-Stroke Oil 10W-40
of the mixture	
Registration number	-
Synonyms	None.
Product code	531 00 92-71 (0,08L), 577 41 97-02 (1,4L)
Issue date	11-February-2015
Version number	01
Revision date	-
Supersedes date	-
1.2. Relevant identified uses of	the substance or mixture and uses advised against
Identified uses	Lubrication of 4-stroke engine.
Uses advised against	Use in accordance with supplier's recommendations.
1.3. Details of the supplier of the	e safety data sheet
Manufacturer/Supplier	Husqvarna AB
Address	Drottninggatan 2
Telephone	+46 (0)36-14 65 00
Contact person	Accessory Department

Contact person	Accessory Department
E-mail	sds.info@husqvarna.se
1.4. Emergency telephone	+1-760-476-3961 (Access code 333721)
number	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Directive 67/548/EEC or 1999/45/EC as amended

This preparation is not classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

Hazard summary

Physical hazards	Not classified for physical hazards.
Health hazards	Not classified for health hazards.
Environmental hazards	Not classified for hazards to the environment.
Specific hazards	May form vapours or oil mists during mechanical action or at elevated temperatures which may be irritating to respiratory tract. Prolonged exposure to oil mist may cause pulmonary disease such as chronic inflammation. Prolonged and repeated contact with used oil may cause serious skin diseases, such as dermatitis and skin cancer. Direct contact with eyes may cause temporary irritation.
Main symptoms	May cause eye irritation on direct contact. Defatting of the skin. Dermatitis. Ingestion may cause irritation and malaise. In high concentrations, mists/vapors may irritate throat and respiratory system and cause coughing.
2 Labol alamants	

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended		
Hazard pictograms	None.	
Signal word	None.	
Hazard statements	The mixture does not meet the criteria for classification.	
Precautionary statements		
Prevention	Not assigned.	
Response	Not assigned.	
Storage	Not assigned.	
Disposal	Not assigned.	

Husqvarna 4-Stroke Oil 10W-40

Supplemental label information	Contains Calcium sulfonate. May produce an allergic reaction. EUH210 - Safety data sheet available on request.
2.3. Other hazards	Not a PBT or vPvB substance or mixture.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name		%	CAS-No. / EC No.	REACH Registration No.	INDEX No.	Notes
Distillates (petroleum), solvent-dewaxed heavy	paraffinio	80 - 90 c	64742-65-0 265-169-7	-	649-474-00-6	
Classification:	DSD:	-				L
	CLP:	-				L
Phosphorodithioic acid, O,O-di-C1-14-alkyl ester	rs, zinc s	0.5 - 1.0 alts	68649-42-3 272-028-3	-	-	
Classification:	DSD:	Xi;R38-41, N;R5	51/53			
	CLP:	Skin Irrit. 2;H31	5, Eye Dam. 1;H318	8, Aquatic Chronic 2;H411		
Calcium sulfonates		0.1 - 0.3	Unknown	-	-	
Calcium sulfonates	DSD:	0.1 - 0.3 R43	Unknown -	-	-	
	DSD: CLP:		-	-	-	
	CLP: ymbols 72/2008. EC. een assig	R43 Skin Sens. 1B;⊦ that may be use gned Community	- H317 d above workplace exposur	- e limit(s). is displayed in section 16. All c	- oncentrations are	in percer

SECTION 4	1: First aid	measures
-----------	--------------	----------

General information

If you feel unwell, seek medical advice (show the label where possible).

••••••	······································
4.1. Description of first aid meas	sures
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. Call a physician if symptoms develop or persist.
Skin contact	Wash with soap and water. In case of rashes, wounds or other skin disorders: Seek medical attention and bring along these instructions. If high pressure injection under the skin occurs, always seek medical attention.
Eye contact	Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyelids wide apart. If irritation persists: Continue flushing during transport to hospital. Take along these instructions.
Ingestion	Never give anything by mouth to an unconscious person. Do NOT induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get immediate medical attention.
4.2. Most important symptoms and effects, both acute and delayed	Irritation of eyes and mucous membranes. Defatting of the skin. Dermatitis. Ingestion may cause irritation and malaise. In high concentrations, mists/vapors may irritate throat and respiratory system and cause coughing.
4.3. Indication of any immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia. Symptoms may be delayed. HIGH PRESSURE SKIN INJECTION: Physician must be familiar with local procedures for treatment of this type of wound; incision, irrigation, removal of all necrotic tissue and open wound dressing.

SECTION 5: Firefighting measures

General fire hazards	Heating may generate vapors which may form explosive vapor/air mixtures. Material will float and can be re-ignited on surface of water.
5.1. Extinguishing media Suitable extinguishing media	Foam. Dry powder. Carbon dioxide (CO2). Water fog.

Unsuitable extinguishing Do not use water jet as an extinguisher, as this will spread the fire. media

5.2. Special hazards arising from the substance or mixture

By heating and fire, irritating vapours/gases may be formed.

5.3. Advice for firefighters

procedures

Special protective
equipment for firefightersSelf-contained breathing apparatus and full protective clothing must be worn in case of fire.
Selection of respiratory protection for firefighting: follow the general fire precautions indicated in
the workplace.Special fire fightingMove container from fire area if it can be done without risk. Use water spray to cool unopened

containers. Cool containers exposed to flames with water until well after the fire is out.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For no persoi	on-emergency nnel	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Wear protective clothing as described in section 8 of this safety data sheet. In case of spills, beware of slippery floors and surfaces.
For en	nergency responders	Keep unnecessary personnel away. Wear protective clothing as described in Section 8 of this safety data sheet.
6.2. Enviro	nmental precautions	Prevent further leakage or spillage if safe to do so. Do not allow to enter drains, sewers or watercourses. Environmental manager must be informed of all major releases.
	ds and material for nt and cleaning up	Remove sources of ignition. Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible.
		Large Spills: Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Wash area with soap and water.
		Small Spills: Wipe up spilled material and place in a suitable container for disposal. Clean surface thoroughly to remove residual contamination.
		Never return spills in original containers for re-use.
6.4. Refere sections	nce to other	For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling	Wear protective clothing as described in Section 8 of this safety data sheet. Use only in well-ventilated areas. Avoid inhalation of oil mist and contact with skin and eyes. Do not eat, drink or smoke when using the product. Be aware of potential for surfaces to become slippery. Observe good industrial hygiene practices.
7.2. Conditions for safe storage, including any incompatibilities	Keep away from ignition, flame and heat sources. Store in a cool, dry, well-ventilated place. Store away from incompatible materials.
7.3. Specific end use(s)	Lubrication of 4-stroke engine.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters		
Occupational exposure limits	upational exposure limits No exposure limits noted for ingredient(s).	
Biological limit values	No biological exposure limits noted for the ingredient(s).	
Recommended monitoring procedures	Follow standard monitoring procedures.	
Derived no-effect level (DNEL)	Not available.	
Predicted no effect concentrations (PNECs)	Not available.	
8.2. Exposure controls		
Appropriate engineering controls	Provide adequate ventilation and minimise the risk of inhalation of vapours and oil mist. Use explosion-proof equipment. Provide easy access to water supply and eye wash facilities.	
Individual protection measures,	such as personal protective equipment	
General information	Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.	
Eye/face protection	Wear safety glasses with side shields (or goggles).	
Skin protection		
- Hand protection	Wear protective gloves. Nitrile gloves are recommended, but be aware that the liquid may penetrate the gloves. Frequent change is advisable. Suitable gloves can be recommended by the glove supplier.	

- Other	Wear appropriate clothing to prevent repeated or prolonged skin contact.
Respiratory protection	In case of inadequate ventilation or risk of inhalation of oil mist, suitable respiratory equipment with combination filter (type A2/P2) can be used. Wear air-supplied mask in confined areas. Seek advice from local supervisor.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
Hygiene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. When using, do not eat, drink or smoke. Launder contaminated clothing before reuse. Private clothes and working clothes should be kept separately.
Environmental exposure controls	Environmental manager must be informed of all major spillages.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Oily liquid.	
Physical state	Liquid.	
Form	Liquid.	
Colour	Brown.	
Odour	Not available.	
Odour threshold	Not available.	
рН	Not available.	
Melting point/freezing point	Not available.	
Initial boiling point and boiling range	Not available.	
Flash point	> 200.0 °C (> 392.0 °F) (ASTM D93, P-M)	
Evaporation rate	Not available.	
Flammability (solid, gas)	Not applicable.	
Upper/lower flammability or explosive limits		
Flammability limit - lower (%)	Not available.	
Flammability limit - upper (%)	Not available.	
Vapour pressure	Not available.	
Vapour density	Not available.	
Relative density	880 kg/m³ (15°C)	
Solubility(ies)	Negligible.	
Partition coefficient (n-octanol/water)	Not available.	
Auto-ignition temperature	Not available.	
Decomposition temperature	Not available.	
Viscosity	Not available.	
Explosive properties	Not available.	
Oxidizing properties	Not oxidizing.	
9.2. Other information	No relevant additional information available.	

SECTION 10: Stability and reactivity

10.1. Reactivity	The product is non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	Hazardous polymerisation does not occur.
10.4. Conditions to avoid	Heat, sparks, flames, elevated temperatures. Contact with incompatible materials.
10.5. Incompatible materials	Strong oxidising agents.
10.6. Hazardous decomposition products	By heating and fire, irritating vapours/gases may be formed. Carbon oxides.

SECTION 11: Toxicological information

General information

Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of e	xposure
Inhalation	Inhalation of oil mist or vapours formed during heating of the product will irritate the respiratory system and provoke coughing.
Skin contact	Prolonged or repeated contact may dry skin and cause dermatitis.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Ingestion may cause irritation and malaise. Ingestion may result in vomiting; aspiration (breathing) of vomitus into lungs must be avoided as even small quantities may result in aspiration pneumonitis.
Symptoms	May cause eye irritation on direct contact. Defatting of the skin. Dermatitis. Ingestion may cause irritation and malaise. In high concentrations, mists/vapors may irritate throat and respiratory system and cause coughing.
11.1. Information on toxicologic	al effects
Acute toxicity	May irritate and cause stomach pain, vomiting, diarrhoea and nausea. Human evidence indicates that the product has very low acute oral, dermal or inhalation toxicity. However, it can produce severe injury if taken into the lung as a liquid, and there may be profound central nervous system depression following prolonged exposure to high levels of vapour.
Skin corrosion/irritation	Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.
Respiratory sensitisation	No data available.
Skin sensitisation	The product contains a small amount of sensitising substance which may provoke an allergic reaction among sensitive individuals.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	Not classified.
Reproductive toxicity	No data available.
Specific target organ toxicity - single exposure	High concentrations: May cause respiratory irritation.
Specific target organ toxicity - repeated exposure	No data available.
Aspiration hazard	Not classified, however droplets of the product may be aspirated into the lungs through ingestion or vomiting and may cause a serious chemical pneumonia.
Mixture versus substance information	Not available.
Other information	Prolonged and repeated contact with used oil may cause serious skin diseases, such as dermatitis and skin cancer.
SECTION 12: Ecological in	nformation
12.1. Toxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
12.2. Persistence and degradability	Expected to biodegrade slowly.

12.3. Bioaccumulative potential	The product contains potentially bioaccumulating substances.
Partition coefficient n-octanol/water (log Kow)	Not available.
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	Not considered mobile.
Mobility in general	The product is insoluble in water. It will spread on the water surface while some of the components will eventually sediment in water systems. The volatile components of the product will spread in the atmosphere.
12.5. Results of PBT and vPvB	Not a PBT or vPvB substance or mixture.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

12.6. Other adverse effects

assessment

Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain son product residues. This material and its container must be disposed of in a safe manner (se Disposal instructions).	
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disp	osal.
Husqvarna 4-Stroke Oil 10W-40		SDS U

Oil spills are generally hazardous to the environment.

The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

SECTION 14: Transport information

ADR

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

ADN

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I Not listed.

Not applicable.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended Not listed

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not listed.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding

Not listed.

Other EU regulations

Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances

Not listed.

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work Not listed.

Directive 94/33/EC on the protection of young people at work Not listed.

Other regulations	The product is classified and labelled in accordance with EC directives or respective national laws. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.	
National regulations	Follow national regulation for work with chemical agents.	
15.2. Chemical safety assessment	No Chemical Safety Assessment has been carried out.	
SECTION 16: Other information		
List of abbreviations		
	DNEL: Derived No-Effect Level. PNEC: Predicted No-Effect Concentration. PBT: Persistent, bioaccumulative and toxic. vPvB: Very Persistent and very Bioaccumulative.	
References	HSDB® - Hazardous Substances Data Bank Registry of Toxic Effects of Chemical Substances (RTECS) ESIS (European chemical Substances Information System)	
Information on evaluation method leading to the classification of mixture	The mixture is classified based on test data for physical hazards. The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available. For details, refer to Sections 9, 11 and 12.	
Full text of any statements or R-phrases and H-statements		
under Sections 2 to 15	R38 Irritating to skin.	
	R41 Risk of serious damage to eyes.	
	R43 May cause sensitisation by skin contact. R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.	
	H315 Causes skin irritation. H317 May cause an allergic skin reaction.	
	H318 Causes serious eye damage.	
	H411 Toxic to aquatic life with long lasting effects.	
This SDS contains revisions in the following section(s):	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16.	
Training information	Follow training instructions when handling this material.	
Disclaimer	The information in the sheet was written based on the best knowledge and experience currently available.	