

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

Husqvarna Active Cleaning

Registration number

Synonyms None

583 87 69-01 (1L), 583 87 69-02 (0,1L) **Product code**

13-November-2018 Issue date

Version number 01 **Revision date** Supersedes date

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses General purpose cleaner. Degreaser.

Use in accordance with supplier's recommendations. Uses advised against

1.3. Details of the supplier of the safety data sheet

Husqvarna AB Company name

Drottninggatan 2

561 82 Huskvarna, Sweden

Telephone +46 (0)36-14 65 00 Contact person **Accessory Department**

E-mail sds.info@husqvarnagroup.com

1.4. Emergency telephone

number

+1-760-476-3961 (Access code 333721)

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Serious eye damage/eye irritation H318 - Causes serious eye Category 1

damage.

Hazard summary Causes serious eye damage.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hexyl D-glucoside, Poly(oxy-1,2-ethanediyl), .alpha.-(2-propylheptyl)-.omega.-hydroxy-Contains:

Hazard pictograms

Signal word Danger

Hazard statements

Causes serious eye damage. H318

Precautionary statements

Prevention

Wear eye protection/face protection. P280

Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present P305 + P351 + P338

and easy to do. Continue rinsing.

Husqvarna Active Cleaning SDS UK

943288 Version #: 01 Revision date: -Issue date: 13-November-2018 P310 Immediately call a POISON CENTRE/doctor.

Storage Not assigned. Disposal Not assigned.

Supplemental label information Declaration according to Regulation (EC) No 648/2004: Contains:

Non-ionic surfactants. 5-15%,

Perfume

2.3. Other hazards This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

| Chemical name | % | CAS-No. / EC No. | REACH Registration No. | Index No. | Notes |
|--|-----------------------|-------------------------|------------------------|-----------|-------|
| Hexyl D-glucoside | 3 - 4 | 54549-24-5 259-217-6 | 01-2119492545-29 | - | |
| Classification: Ey | e Dam. 1;H318 | | | | |
| Poly(oxy-1,2-ethanediyl), .alpha(2-propylheptyl)ome oxy- | 1.5 - 2.5 gahydr | 160875-66-1 - | - | - | |
| Classification: Ac | cute Tox. 4;H302, Eye | e Dam. 1;H318 | | | |

List of abbreviations and symbols that may be used above

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention immediately.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and

delayed

4.3. Indication of any immediate medical attention and special treatment needed Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Permanent eye damage including blindness could result.

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

Husqvarna Active Cleaning SDS UK

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe vapour. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be

contained.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the

SDS.

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product

recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to

remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

6.4. Reference to other

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

sections

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not breathe vapour. Do not get this material in contact with eyes. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Assessment factor Notes

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see section 10 of the

SDS).

7.3. Specific end use(s)General purpose cleaner. Degreaser.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits No exposure limits noted for ingredient(s).

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Follow standard monitoring procedures.

Value

Derived no effect levels (DNELs)

General Population

Composanto

| Components | Value | Assessment factor | Notes |
|--|---------------------|-------------------|------------------------|
| Hexyl D-glucoside (CAS 54549-24-5) | | | |
| Long-term, Systemic, Dermal | 357000 mg/kg bw/day | 28 | Repeated dose toxicity |
| Long-term, Systemic, Inhalation | 124 mg/m3 | 7 | Repeated dose toxicity |
| Long-term, Systemic, Oral | 35.7 mg/kg bw/day | 28 | Repeated dose toxicity |
| <u>Workers</u> | | | |
| Components | Value | Assessment factor | Notes |
| Hexyl D-glucoside (CAS 54549-24-5) | | | |
| Long-term, Systemic, Dermal | 595000 mg/kg bw/day | 17 | Repeated dose toxicity |
| Long-term, Systemic, Inhalation | 420 mg/m3 | 4 | Repeated dose toxicity |
| edicted no effect concentrations (PNECs) | | | |
| Components | Value | Assessment factor | Notes |
| Hexyl D-glucoside (CAS 54549-24-5) | | | |
| Freshwater | 0.176 mg/l | 10 | |
| Marine water | 0.018 mg/l | 100 | |
| Sediment (freshwater) | 0.722 mg/kg | | |
| Sediment (marine water) | 0.072 mg/kg | | |

STP 8.2. Exposure controls

Soil

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

1000

10

Husqvarna Active Cleaning SDS UK

0.654 mg/kg

100 mg/l

Individual protection measures, such as personal protective equipment

Use personal protective equipment as required. Personal protection equipment should be chosen **General information**

according to the CEN standards and in discussion with the supplier of the personal protective

Eye/face protection Wear safety glasses with side shields (or goggles). Eye protection should meet standard EN 166.

Skin protection

- Hand protection Wear appropriate chemical resistant gloves. Wear suitable gloves tested to EN374. Nitrile or

neoprene gloves are recommended. Full contact: Use gloves classified protection index 6 with

breakthrough time of 480 minutes. Minimum glove thickness 0.28 mm.

- Other Wear suitable protective clothing.

In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Always observe good personal hygiene measures, such as washing after handling the material Hygiene measures

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

Environmental exposure

controls

Environmental manager must be informed of all major releases. Emissions from ventilation or work

process equipment should be checked to ensure they comply with the requirements of

environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Liquid. Liquid. **Form** Colour Pale yellow. Odour Citrus.

Odour threshold Not available.

10.9 pН

Melting point/freezing point Not available. 100 °C (212 °F) Initial boiling point and boiling

range

> 100.0 °C (> 212.0 °F) Flash point

Not available. **Evaporation rate** Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

Flammability limit - upper

Not available.

Vapour pressure Not available. Vapour density Not available. 1.05 (Water = 1)Relative density Miscible in water. Solubility(ies) **Partition coefficient** Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available. **Viscosity** Not available. **Explosive properties** Not explosive. Oxidising properties Not oxidising.

No relevant additional information available. 9.2. Other information

SECTION 10: Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. 10.1. Reactivity

Material is stable under normal conditions. 10.2. Chemical stability

10.3. Possibility of hazardous No dangerous reaction known under conditions of normal use.

reactions

Husqvarna Active Cleaning SDS UK

Version #: 01 Revision date: -Issue date: 13-November-2018 10.4. Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with

incompatible materials.

10.5. Incompatible materials

Strong oxidising agents.

10.6. Hazardous

No hazardous decomposition products are known.

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Prolonged or repeated skin contact may cause drying, cracking, or irritation.

Eye contact Causes serious eye damage.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Symptoms Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Permanent eye damage including blindness could result.

11.1. Information on toxicological effects

Acute toxicity Not expected to be acutely toxic.

Skin corrosion/irritation Prolonged or repeated skin contact may cause drying, cracking, or irritation.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory sensitisationDue to partial or complete lack of data the classification is not possible.Skin sensitisationDue to partial or complete lack of data the classification is not possible.Germ cell mutagenicityDue to partial or complete lack of data the classification is not possible.CarcinogenicityDue to partial or complete lack of data the classification is not possible.Reproductive toxicityDue to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

Aspiration hazard Due to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

Other information No other specific acute or chronic health impact noted.

SECTION 12: Ecological information

12.1. ToxicityBased on available data, the classification criteria are not met for hazardous to the aquatic

environment.

12.2. Persistence and

degradability

Poly(oxy-1,2-ethanediyl), .alpha.-(2-propylheptyl)-.omega.-hydroxy-: Readily biodegradable.

(OECD 301D).

Hexyl D-glucoside: Readily biodegradable. (OECD 301D).

12.3. Bioaccumulative potential

Partition coefficient

Not available.

n-octanol/water (log Kow)

Not available.

No data available.

Bioconcentration factor (BCF)
12.4. Mobility in soil

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Other adverse effects No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

Husqvarna Active Cleaning SDS UK

EU waste codeThe Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Special precautions Dispose in accordance with all applicable regulations.

Not established.

SECTION 14: Transport information

ADR

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

according to Annex II of

14.7. Transport in bulk

MARPOL 73/78 and the IBC

Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as

amended. The product is classified and labelled in accordance with Regulation (EC) 1272/2008

(CLP Regulation) as amended.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria

as laid down in Regulation (EC) No.648/2004 on detergents.

National regulations Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as

amended.

Husqvarna Active Cleaning SDS UK

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

DNEL: Derived No-Effect Level.

PNEC: Predicted No-Effect Concentration.
PBT: Persistent, bioaccumulative and toxic.
vPvB: Very Persistent and very Bioaccumulative.

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland

Waterways.

ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road.

IATA: International Air Transport Association.

IMDG Code: International Maritime Dangerous Goods Code.

MARPOL: International Convention for the Prevention of Pollution from Ships.

References ECHA CHEI

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any H-statements not written out in full under Sections 2 to 15

H302 Harmful if swallowed.

H318 Causes serious eye damage.

Training information Follow training instructions when handling this material.

Disclaimer

Husqvarna AB cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

assume liability for loss, injury, damage or expense due to improper use. The information sheet was written based on the best knowledge and experience currently available.

Husqvarna Active Cleaning SDS UK